

# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

#### **SECTION 1. IDENTIFICATION**

Product name : APF BREAKDOWN BUG REMOVER 5 GA

Product code : BD085-5

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone num-

ber

: 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

Category 2 (Respiratory Tract)

**GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : Combustible liquid.

Causes skin irritation.



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

Causes serious eye damage.

May cause damage to organs (Respiratory Tract) through pro-

longed or repeated exposure if inhaled.

Precautionary statements :

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Wear protective gloves/ eye protection/ face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Get medical advice/ attention if you feel unwell. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Sodium Xylene Sulfonate	1300-72-7	>= 1 - < 5
Tetrasodium EDTA	64-02-8	>= 1 - < 5
Lauramine Oxide	1643-20-5	>= 1 - < 3
Potassium hydroxide	1310-58-3	>= 0.5 - < 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

10/07/2020 60000002114 Date of first issue: 01/02/2015 2.0

advice.

If symptoms persist, call a physician.

In case of skin contact If on clothes, remove clothes.

Remove contaminated clothing. If irritation develops, get med-

ical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use. If skin irritation persists, call a physician.

In case of eye contact Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Obtain medical attention.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

Causes skin irritation.

Causes serious eye damage.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

If product is heated above its flash point it will produce vapors

sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the

point of release.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Sulphur oxides Sodium oxides

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Product is compatible with standard fire-fighting agents.

Use extinguishing measures that are appropriate to local cir-Further information

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

10/07/2020 60000002114 Date of first issue: 01/02/2015 2.0

Use a water spray to cool fully closed containers.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emergency procedures

Use personal protective equipment. Remove all sources of ignition.

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for nonconductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protec-

tion Association document NFPA 77.

Keep away from open flames, hot surfaces and sources of

ignition.

Do not spray on a naked flame or any incandescent material.

Advice on safe handling Avoid formation of aerosol.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours/dust.

Do not smoke.

Avoid contact with skin and eyes.

Dispose of rinse water in accordance with local and national

regulations.

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

Observe label precautions.

No smoking.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Potassium hydroxide	1310-58-3	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		С	2 mg/m3	OSHA P0

## Hazardous components without workplace control parameters

Components	CAS-No.	
Sodium Xylene Sulfonate	1300-72-7	
Tetrasodium EDTA	64-02-8	
Lauramine Oxide	1643-20-5	

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

## Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not smoke. When using do not eat or drink.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

Colour : yellow

Odour : mild

Odour Threshold : not determined

pH : 13 - 14

Melting point/freezing point : 0 °C

Boiling point/boiling range : 100 °C

Flash point : 67 °C

Method: closed cup

Evaporation rate : not determined

Flammability (solid, gas) : No data available

Self-ignition : not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapour pressure : not determined

Relative vapour density : not determined

Density : 1.0340 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

not determined

Decomposition temperature : not determined

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Molecular weight : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

Possibility of hazardous reac-

tions

: No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Carbon oxides

Sodium oxides

Hazardous decomposition

products

Sulphur oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 50.93 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

## **Components:**

**Sodium Xylene Sulfonate:** 

Acute oral toxicity : LD50 (Rat): > 7,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

**Tetrasodium EDTA:** 

Acute oral toxicity : LD50 (Rat, female): 1,780 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 - 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Information given is based on data obtained from

similar substances.



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Lauramine Oxide:** 

Acute oral toxicity : LD50 (Rat): 1,064 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

Potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 333 mg/kg

Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Remarks: May irritate skin.

### **Components:**

## **Sodium Xylene Sulfonate:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: Mild skin irritation

Remarks: Information given is based on data obtained from similar substances.

#### **Tetrasodium EDTA:**

Species: Rabbit

Result: No skin irritation

### **Lauramine Oxide:**

Result: Irritating to skin.

## Potassium hydroxide:

Result: Corrosive after 3 minutes or less of exposure

## Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

## **Components:**

## **Sodium Xylene Sulfonate:**

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

Method: OECD Test Guideline 405

GLP: yes

**Tetrasodium EDTA:** 

Result: Irritating to eyes.

**Lauramine Oxide:** 

Result: Irreversible effects on the eye

Potassium hydroxide:

Result: Irreversible effects on the eye

Assessment: Corrosive

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

**Sodium Xylene Sulfonate:** 

Test Type: Buehler Test Exposure routes: Dermal Species: Guinea pig

Method: OECD Test Guideline 406
Result: Does not cause skin sensitisation.

GLP: yes

**Tetrasodium EDTA:** 

Test Type: Maximisation Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Remarks: Information given is based on data obtained from similar substances.

Germ cell mutagenicity

Not classified based on available information.

Components:

**Tetrasodium EDTA:** 

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

**Lauramine Oxide:** 

Genotoxicity in vitro : Test Type: Ames test



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

## Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

#### **Components:**

#### **Tetrasodium EDTA:**

Exposure routes: Inhalation
Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 2.

### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

## **Product:**

Remarks: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Toxicity**

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

### **49 CFR**

Not regulated as a dangerous good

#### **49 CFR**

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Potassium hydroxide	1310-58-3	1000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Skin corrosion or irritation



# AP FORMULATORS BREAKDOWN BUG REMOVER

Version Revision Date: SDS Number: Date of last issue: -

2.0 10/07/2020 600000002114 Date of first issue: 01/02/2015

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


## California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **SECTION 16. OTHER INFORMATION**

### **Further information**

#### NFPA:



Special hazard.

Revision Date : 10/07/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN