

### The Armor All/STP Products Company

44 Old Ridgebury Road Suite 300 Danbury, CT 06810 Tel. 1-203-205-2900

# 1. Product And Company Identification

**Product Name:** Armor All ® Matte Finish Protectant

Responsible Party: The Armor All/STP Products Company

44 Old Ridgebury Road

Suite 300

Danbury, CT 06810

Information Phone Number: +1 203-205-2900

**Emergency Phone Number:** 

For Medical Emergencies, call 1-866-949-6465 / +1 303-389-1332 (Outside US and Canada) For Transportation Emergencies, call 1-800-424-9300 (Chemtrec) +1-703-527-3887 for

Outside US and Canada (call collect)

SDS Date of Preparation: 03/04/2016

Product Use and Uses Advised Against: Auto cleaning product - For consumer use

## 2. Hazards Identification

Note: This product is a consumer product and is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will not contain the OSHA label elements shown below on this SDS.

#### **GHS Classification:**

Physical:	Health:
Non-Hazardous	Eye Irritation Category 2A

## **GHS Label Elements:**



#### **WARNING!**

## Statements of Hazard

Causes serious eye irritation.

## **Precautionary Phrases**

Wash thoroughly after handling.

Wear eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If eye irritation persists: Get medical attention.



## The Armor All/STP Products Company

44 Old Ridgebury Road Suite 300 Danbury, CT 06810 Tel. 1-203-205-2900

## 3. Composition/Information On Ingredients

Component	CAS No.	Amount
Monoethanolamine	141-43-5	<1%
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	<1%
Proprietary Surfactant	Trade Secret	<1%

The specific identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First Aid Measures

**Inhalation:** If inhaled, remove to fresh air. If breathing is difficult have qualified personnel administer oxygen. Get medical attention.

Skin Contact: Rinse skin with plenty of water. If skin irritation develops, seek medical attention.

**Eye Contact:** If contact occurs, flush eyes with large quantities of water for at least 15 minutes, holding the eyelids apart. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting unless directed to by a doctor or physician. If the victim is fully conscious, have them rinse their mouth with water. Get medical assistance by calling a doctor or poison center. Never give anything by mouth to a person who is unconscious or drowsy.

**Most Important Symptoms:** Eye contact causes eye irritation. May causes mild skin irritation. May cause mild respiratory irritation.

**Indication of Immediate Medical Attention/Special Treatment:** Immediate medical attention should not be required.

### 5. Firefighting Measures

**Suitable (and Unsuitable) Extinguishing Media**: Use any media that is suitable for the surrounding fire. Cool fire exposed containers with water.

**Specific Hazards Arising From the Chemical:** Closed containers may rupture if exposed to extreme heat. Burning may release nitrogen oxides, and oxides of carbon.

**Special Fire Fighting Procedures:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

### 6: Accidental Release Measures

**Personal Precautions, Protective Equipment, and Emergency Procedures:** Wear appropriate protective clothing and equipment as described in Section 8.

**Environmental Precautions:** Report spill as required by local and national regulations. Prevent entry in storm sewers and waterways.



### The Armor All/STP Products Company

44 Old Ridgebury Road Suite 300 Danbury, CT 06810 Tel. 1-203-205-2900

Methods and Materials for Containment / Cleanup: Absorb with an inert material. Collect into a suitable container for disposal. Rinse area with water.

#### 7. Handling and Storage

**Precautions for Safe Handling:** Avoid contact with eyes. Avoid contact with skin and clothing. Avoid breathing vapors or mists. Use only with appropriate protective equipment. Launder contaminated clothing before re-use.

Empty containers retain product residue and may be hazardous. Do not cut, weld, drill, etc. containers, even empty. Do not reuse empty containers.

## Conditions for Safe Storage, Including Any Incompatibilities:

Protect containers from physical damage. Store in a cool, well-ventilated area away from acids and other incompatible materials. Keep out of the reach of children.

### 8. Exposure Controls / Personal Protection

#### **Exposure Guidelines:**

CHEMICAL	EXPOSURE LIMIT
Monoethanolamine	3 ppm TWA, 6 ppm STEL ACGIH TLV
	3 ppm TWA OSHA PEL
Alkyl dimethyl benzyl ammonium chloride (C12-16)	None Established
Proprietary Surfactant	None Established

Appropriate Engineering Controls: General ventilation should be adequate for all normal use.

### **Personal Protective Equipment**

**Respiratory Protection:** Good general ventilation (equivalent to outdoors) should be adequate under normal conditions. For operations where exposure limits may be exceeded use a NIOSH approved respirator (mask) with appropriate eye protection. A full face piece respirator provides both eye and respiratory protection. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134, and all other applicable regulations; and good Industrial Hygiene practice.

**Gloves:** None normally required. Impervious gloves such as rubber, neoprene or nitrile are recommended for prolonged or repeated contact.

**Eye Protection:** Safety glasses or goggles are recommended if eye contact is possible.

Other Protective Equipment/Clothing: None required with normal use.

# 9. Physical and Chemical Properties

**Appearance and Odor:** Clear, colorless liquid with a pleasant odor.

Physical State: Clear liquid.	Odor Threshold: Not available
<b>pH:</b> 10.9 – 11.9 (Alkali reserve 0.12g NaOH)	Specific Gravity: ~ 1.0



## The Armor All/STP Products Company

44 Old Ridgebury Road

Suite 300

Danbury, CT 06810 Tel. 1-203-205-2900

Initial Boiling Point/Range: Not determined	Vapor Pressure: Same as water
Melting/Freezing Point: Not determined	Vapor Density: Same as water
Solubility In Water: Complete	Percent Volatile: >98%
Viscosity: Not determined	Evaporation Rate: Not determined
Relative Density: Not determined	VOC Content: Not available
Coefficient Of Water/Oil Distribution: Not determined	Autoignition Temp: Not determined
Flash Point: >200°F (93.3°C)	Flammability Limits: LEL: Not applicable
·	UEL: Not applicable
<b>Decomposition Temperature:</b> Not available	Flammability (solid, gas): Not applicable

# 10. Stability and Reactivity

Reactivity: Not normally reactive

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: Will react with acids and strong oxidizing agents.

Conditions To Avoid: None known.

**Incompatible Materials:** Acids and strong oxidizing agents.

Hazardous Decomposition Products: May release nitrogen oxides, and oxides of carbon.

# 11. Toxicological Information

# **Acute Hazards:**

Inhalation: May cause mild irritation to mucous membranes and upper respiratory tract.

**Skin Contact:** May causes mild skin irritation. Non-corrosive based on test data.

**Eye Contact:** Causes eye irritation.

**Ingestion:** Swallowing may cause gastrointestinal disturbances.

Chronic Effects: None currently known.

Carcinogenicity Listing: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP,

ACGIH or OSHA.

# **Acute Toxicity Values:**

Calculated ATE for Product: ATE Oral: >5,000 mg/kg

ATE Skin: >5,000 mg/kg

Monoethanolamine: LD50 Oral Rat: 1,515 mg/kg

LD50 Skin Rabbit: 2,504 mg/kg LC50 Inhalation Rat: >1.3 mg/L/6 hr.

Alkyl dimethyl benzyl ammonium chloride

(C12-16): LD50 Oral Rat: 426 mg/kg

Proprietary Surfactant: LD50 Oral: >2,000 mg/kg (Calculated)



### The Armor All/STP Products Company

44 Old Ridgebury Road Suite 300 Danbury, CT 06810 Tel. 1-203-205-2900

## 12. Ecological Information

### **Ecotoxicity:**

Monoethanolamine:

LC50 Danio rerio (zebra fish) 3,682 mg/L/96 hr.

EC50 Daphnia magna (Water flea, neonate) 65 mg/L/24 hr.

Persistence and Degradability:

Monoethanolamine: Readily biodegradable

**Bio accumulative Potential:** 

Monoethanolamine: Not expected to exhibit a significant bioaccumulation potential.

Mobility in Soil: No data available

Other Adverse Effects: No data available

## 13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations.

## 14. Transport Information

**DOT Hazardous Materials Description:** Not Regulated

Canadian TDG Hazardous Materials Description: Not Regulated

IMDG Dangerous Goods Description: Not Regulated

# 15. Regulatory Information

## **United States:**

**EPA TSCA INVENTORY**: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

**CERCLA Section 103:** This product has no RQ. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Acute Health

**SARA 313:** This product contains the following chemicals subject to Annual Release Reporting Requirements under SARA Title III, Section 313 (40 CFR 372): None

## Canada:

Canadian Environmental Protection Act: All of the ingredients are listed on the Canadian Domestic Substances List.



## The Armor All/STP Products Company

44 Old Ridgebury Road Suite 300 Danbury, CT 06810 Tel. 1-203-205-2900

This SDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the SDS contains all of the information required by the CPR.

## 16. Other Information

NFPA Rating (NFPA 704): Health: 1 Fire: 0 Instability: 0

HMIS Rating: Health: 2 Fire: 0 Physical Hazard: 0

DATE OF CURRENT REVISION: 03/04/2016

**REVISION SUMMARY: New SDS** 

DATE OF PREVIOUS REVISION: N/A

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH