



Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

1. Product And Company Identification

Product Name: ARMOR ALL® Ultra Shine Wheel Cleaning Wipes

Responsible Party: The Armor All/STP Products Company
44 Old Ridgebury Road
Suite 300
Danbury, CT 06810

Information Phone Number: +1 203-205-2900

Emergency Phone Number:

For Medical Emergencies, call 1-866-949-6465 / +1 303-389-1332 (Outside US and Canada)
For Transportation Emergencies, call 1-800-424-9300 (Chemtrec) +1-703-527-3887 for
Outside US and Canada (call collect)

SDS Date of Preparation: 08/03/2017

Product Use and Uses Advised Against: Automotive maintenance product – For consumer and professional use

2. Hazards Identification

Note: This product is a consumer product and is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will differ from the OSHA information shown below.

GHS Classification:

Physical:	Health:
Not Hazardous	Not Hazardous

GHS Label Elements: None

3. Composition/Information on Ingredients

Component	CAS No.	Amount
Propylene glycol n-butyl ether	5131-66-8	<5%
Isopropanol	67-63-0	<1%
Non-Hazardous Ingredients	Mixture	100%

4. First Aid Measures

Inhalation: If symptoms of exposure develop, remove to fresh air. Seek medical attention if symptoms persist.

Skin Contact: Wash with soap and water. If skin irritation or redness develops, seek medical attention.

Eye Contact: Flush eyes with plenty of water for several minutes. If irritation or other symptoms persist, seek medical attention.

Ingestion: If the victim is fully conscious, have them drink a glass of water. Get medical assistance by calling a doctor or poison center.

Most Important Symptoms: May cause mild skin irritation. Direct eye contact may cause mild irritation.

Indication of Immediate Medical Attention/Special Treatment: Immediate medical attention should not be



Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

required.

5. Firefighting Measures

Suitable (and Unsuitable) Extinguishing Media: Use any media that is appropriate for the surrounding fire.

Specific Hazards Arising from the Chemical: May produce oxides of carbon under fire conditions.

Special Protective Equipment and Precautions for Fire-fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures: Wear appropriate protective equipment.

Environmental Precautions: Prevent entry in storm sewers and waterways. Report spill as required by local and national regulations.

Methods for Containment and Clean-Up: Pick up and place in a suitable container for disposal. Rinse area with water.

7. Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes. Avoid prolonged contact with skin and clothing. Wash hands after use.

Conditions for Safe Storage, Including any Incompatibilities: No special storage required.

8. Exposure Controls / Personal Protection

Exposure Guidelines:

CHEMICAL	EXPOSURE LIMIT
Non-Hazardous Ingredients	None Established
Propylene glycol n-butyl ether	None Established
Isopropanol	200 ppm TWA 400 ppm STEL ACGIH TLV 400 ppm TWA OSHA PEL

Engineering Controls: General ventilation should be adequate for all normal use.

Personal Protective Equipment

Respiratory Protection: None under normal use conditions.

Gloves: None normally required.

Eye Protection: None required for normal use. Avoid eye contact.

Other Protective Equipment/Clothing: None required under normal use conditions.



Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

9. Physical and Chemical Properties

Appearance and Odor: Wipes moistened with a liquid with a characteristic odor.

Physical State: Wipes moistened with liquid.	Odor Threshold: Not available
pH: 10.42 (Liquid component)	Specific Gravity: 0.99 (Liquid component)
Initial Boiling Point/Range: Not determined	Vapor Pressure: Same as water (Liquid component)
Melting/Freezing Point: Not determined	Vapor Density: Same as water (Liquid component)
Solubility In Water: Not determined	Percent Volatile: > 95 (Liquid component)
Viscosity: Not viscous	Evaporation Rate: Not determined
Coefficient Of Water/Oil Distribution: Not determined	VOC Content: 0.84%
Flash Point: Not determined	Autoignition Temp: Not determined
Decomposition Temperature: Not determined	Flammability Limits: LEL: Not determined UEL: Not determined
Flammability (solid, gas): Not applicable	

10. Stability and Reactivity

Reactivity: Not normally reactive

Chemical Stability: Stable.

Possibility of Hazardous Reactions: None known

Conditions To Avoid: None known

Incompatible Materials: Strong oxidizing agents and reducing agents.

Hazardous Decomposition Products: Thermal decomposition will generate oxides of carbon.

11. Toxicological Information

POTENTIAL HEALTH EFFECTS:

Acute Hazards:

Inhalation: None under normal conditions of use.

Skin Contact: May cause mild skin irritation.

Eye Contact: Direct contact may cause mild eye irritation.

Ingestion: Ingestion is unlikely due to product form. Swallowing may cause gastrointestinal disturbances.

Chronic Hazards: None currently known.

Carcinogenicity Listing: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA.

Acute Toxicity Values:

Components are not acutely toxic.

Propylene glycol n-butyl ether:

LD50 Oral Rat: 3,300 mg/kg

LD50 Skin Rat: >2,000 mg/kg



Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

Isopropanol: LD50 Oral Rat: 5,045 mg/kg
LD50 Skin Rabbit: 12,800 mg/kg
LC50 Inhalation Rat 72.6 mg/L/ 4 hr.

12. Ecological Information

Ecotoxicity:

Isopropanol: LC50 Fathead Minnow 6,550 mg/L/96 hr.
Propylene glycol n-butyl ether: LC50 Guppy: 560-1000 mg/L/ 96 hr.
LC50 Daphnia: >1000 mg/L/ 48 hr.

Persistence and Degradability:

Isopropanol: Readily biodegradable
Propylene glycol n-butyl ether: Readily biodegradable

Bio accumulative Potential: No data available

Mobility in Soil:

Isopropanol: Highly mobile in soil

Other Adverse Effects: No data available

13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations. Offer empty containers for recycling.

14. Transport Information

DOT Hazardous Materials Description: Not Regulated

IMDG Dangerous Goods Description: Not Regulated

15. Regulatory Information

United States:

EPA TSCA INVENTORY: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

CERCLA Section 103: This product has no RQ. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Classified as per OSHA HAZCOM 2012 GHS in Section 2 of this SDS.

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements under SARA Title III, Section 313 (40 CFR 372): None



Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

16. Other Information

NFPA Rating (NFPA 704): Health: 0 Fire: 0 Instability: 0
HMIS Rating: Health: 0 Fire: 0 Physical Hazard: 0

DATE OF CURRENT REVISION: 08/03/2017

REVISION SUMMARY: Formulation change. Changes to Sections 3 and 8

DATE OF PREVIOUS REVISION SUMMARY: 07/30/2017

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH