

acc. to 29 CFR 1910.1200 App D

# **Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol**

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

# **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name Armor All FRESHfx Carpet & Upholstery Cleaner

New Car - Aerosol

Alternative number(s) 19139, 070612191397

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

e-mail: energizer@custhelp.com Website: http://data.energizer.com

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

### **SECTION 2: Hazard(s) identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
B.6	flammable liquid	1	Flam. Liq. 1	H224

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

## 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

United States: en Page: 1 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

GHS02



#### - Hazard statements

H224 Extremely flammable liquid and vapor.

#### - Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

#### 2.3 Other hazards

#### Hazards not otherwise classified

May be harmful if inhaled (GHS category 5: acutely toxic - inhalation). Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
isobutane	CAS No 75-28-5	1-<5	Flam. Gas 1 / H220 Press. Gas C / H280	
Diethylene glycol monobutyl ether	CAS No 112-34-5	1-<5	Eye Irrit. 2 / H319	<u>(1)</u>

United States: en Page: 2 / 22

Energizer.

acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19

Replaces version of: 2020-01-02 (GHS 1)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Sodium Lauroyl Sarcosin- ate	CAS No 137-16-6	<1	Acute Tox. 2 / H330	
propane	CAS No 74-98-6	<1	sA / OSHA002 Flam. Gas 1 / H220 Press. Gas C / H280	<b>&amp;</b>
Morpholine	CAS No 110-91-8	<1	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 4 / H332 Skin Corr. 1B / H314 Flam. Liq. 3 / H226	

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First-aid measures**

### 4.1 Description of first- aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 3 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

## **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

## 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United States: en Page: 4 / 22

Energizer.

acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

#### Control of the effects

#### Protect against external exposure, such as

Frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

United States: en Page: 5 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	morpholine	110-91-8	REL	20 (10 h)	70 (10 h)	30	105				NIOSH REL
US	morpholine	110-91-8	TLV®	20							AC- GIH® 2019
US	morpholine	110-91-8	PEL	20	70						29 CFR 1910.1 000
US	morpholine (tet- rahydro-2H-1,4- oxazine)	110-91-8	PEL (CA)	20	70	30	105				Cal/ OSHA PEL
US	diethylene glycol monobutyl ether	112-34-5	TLV®	10						iv	AC- GIH® 2019
US	propane	74-98-6	PEL (CA)	1,000	1,800						Cal/ OSHA PEL
US	propane	74-98-6	REL	1,000 (10 h)	1,800 (10 h)						NIOSH REL
US	propane	74-98-6	PEL	1,000	1,800						29 CFR 1910.1 000
US	propane	74-98-6	TLV®							oxy- gen, Simpl e Asp., E	AC- GIH® 2019
US	isobutane	75-28-5	REL	800 (10 h)	1,900 (10 h)						NIOSH REL
US	isobutane	75-28-5	TLV®			1,000				E	AC- GIH® 2019

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

explosive

iv inhalable fraction and vapor oxygen Adequate oxygen delivery to the tissues is necessary for sustaining life

Simple Asp. simple asphyxiants

United States: en Page: 6 / 22



acc. to 29 CFR 1910.1200 App D

# **Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol**

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

Notation

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

## Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local ef- fects
Diethylene glycol monobutyl ether	112-34-5	DNEL	101.2 mg/ m³	human, inhalatory	worker (industry)	acute - local ef- fects
Diethylene glycol monobutyl ether	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Sodium Lauroyl Sar- cosinate	137-16-6	DNEL	70.53 mg/ m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Sodium Lauroyl Sar- cosinate	137-16-6	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Morpholine	110-91-8	DNEL	91 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Morpholine	110-91-8	DNEL	36 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local ef- fects
Morpholine	110-91-8	DNEL	72 mg/m³	human, inhalatory	worker (industry)	acute - local ef- fects
Morpholine	110-91-8	DNEL	1.04 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monobutyl ether	112-34-5	PNEC	1.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.11 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	200 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	4.4 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)

United States: en Page: 7 / 22



acc. to 29 CFR 1910.1200 App D

# **Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol**

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.44 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.32 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Sodium Lauroyl Sar- cosinate	137-16-6	PNEC	0.009 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Sodium Lauroyl Sar- cosinate	137-16-6	PNEC	0.001 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Sodium Lauroyl Sar- cosinate	137-16-6	PNEC	3 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Sodium Lauroyl Sar- cosinate	137-16-6	PNEC	0.064 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Sodium Lauroyl Sar- cosinate	137-16-6	PNEC	0.006 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Sodium Lauroyl Sar- cosinate	137-16-6	PNEC	0.008 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Morpholine	110-91-8	PNEC	0.163 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Morpholine	110-91-8	PNEC	0.016 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Morpholine	110-91-8	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Morpholine	110-91-8	PNEC	1.83 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Morpholine	110-91-8	PNEC	0.183 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Morpholine	110-91-8	PNEC	0.269 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

United States: en Page: 8 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

#### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state	liquid
Color	various
Odor	characteristic

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	-161.5 °C at 1,013 hPa
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

**Explosive limits** 

United States: en Page: 9 / 22

Energizer.

Holdings, Inc.

acc. to 29 CFR 1910.1200 App D

# **Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol**

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

- Lower explosion limit (LEL)	3 vol%
- Upper explosion limit (UEL)	12.5 vol%
Vapor pressure	0.022 mmHg at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

### 9.2 Other information

Solvent content	93.53 %
Solid content	0.78 %

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

United States: en Page: 10 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if inhaled.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Sodium Lauroyl Sarcosinate	137-16-6	inhalation: dust/mist	0.05 <sup>mg</sup> / <sub>l</sub> /4h
Morpholine	110-91-8	oral	1,900 <sup>mg</sup> / <sub>kg</sub>
Morpholine	110-91-8	dermal	500 <sup>mg</sup> / <sub>kg</sub>
Morpholine	110-91-8	inhalation: vapor	11 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

United States: en Page: 11 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Morpholine	110-91-8	3	

#### Legend

3 Not classifiable as to carcinogenicity in humans

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Harmful to aquatic life.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
isobutane	75-28-5	LC50	27.98 <sup>mg</sup> / <sub>l</sub>	fish	96 h
isobutane	75-28-5	EC50	7.71 <sup>mg</sup> / <sub>l</sub>	algae	96 h
Diethylene glycol monobutyl ether	112-34-5	LC50	1,300 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Diethylene glycol monobutyl ether	112-34-5	EC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Diethylene glycol monobutyl ether	112-34-5	ErC50	>100 <sup>mg</sup> / <sub>l</sub>	algae	96 h
Sodium Lauroyl Sarcos- inate	137-16-6	LC50	107 <sup>mg</sup> / <sub>l</sub>	fish	96 h

United States: en Page: 12 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19

Replaces version of: 2020-01-02 (GHS 1)

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium Lauroyl Sarcos- inate	137-16-6	EC50	29.7 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Sodium Lauroyl Sarcos- inate	137-16-6	ErC50	79 <sup>mg</sup> / <sub>l</sub>	algae	72 h
propane	74-98-6	LC50	27.98 <sup>mg</sup> / <sub>l</sub>	fish	96 h
propane	74-98-6	EC50	7.71 <sup>mg</sup> / <sub>l</sub>	algae	96 h
Morpholine	110-91-8	LC50	380 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Morpholine	110-91-8	EC50	44.5 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Morpholine	110-91-8	ErC50	9 <sup>mg</sup> / <sub>l</sub>	algae	72 h

## 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

United States: en Page: 13 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

14.1	UN number	not assigned
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### **Information for each of the UN Model Regulations**

### Transport of dangerous goods by road or rail (49 CFR US DOT)

not assigned

**UN** number

#### **International Maritime Dangerous Goods Code (IMDG)**

Proper shipping name	HYDROCARBONS, LIQUID, N.O.S.
Class	3
Marine pollutant	-
Packing group	I
Danger label(s)	3
Class Marine pollutant Packing group	3 - I

3295



-
E3
500 mL
F-E, S-D

Stowage category

United States: en Page: 14 / 22

Ε



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

### **International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number 3295

Proper shipping name Hydrocarbons, liquid, n.o.s.

Class 3
Packing group I
Danger label(s) 3



Special provisions (SP) A3
Excepted quantities (EQ) E3

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

# **Clean Air Act**

Name of substance	CAS No	Type of registra- tion	Basis for listing	Threshold quantity (lbs)
isobutane	75-28-5	Flammable sub- stance	f	10000
propane	74-98-6	Flammable sub- stance	f	10000

Legend

f Flammable gas.

# **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
isobutane	75-28-5	propellant	EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
Diethylene glycol monobutyl ether		solvents	CA TACs
Sodium Lauroyl Sarcosinate	137-16-6	surfactant	
polymer	Proprietary	polymer	
propane	74-98-6	propellant	
Morpholine	110-91-8	corrosion inhibitor	

United States: en Page: 15 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Revision: 2020-01-19 Version number: GHS 2.1

Replaces version of: 2020-01-02 (GHS 1)

Name of substance	CAS No	Functionality	Authoritative Lists
patchouli ethanone	54464-57-2	fragrance	
Sodium Laurate	629-25-4	surfactant	
Hedione	24851-98-7	fragrance	
Florosol	63500-71-0	fragrance	
Benzyl acetate	140-11-4	fragrance	
Linalool	78-70-6	fragrance	EU Fragrance Allergens
LYRAL	31906-04-4	fragrance	EU Fragrance Allergens

### - Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
Diethylene glycol monobutyl ether		1022			1.0 %

### - Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
isobutane		N	

#### Legend

National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Trans-

# - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Morpholine	110-91-8		CO F3 R1
Diethylene glycol monobutyl ether			
isobutane	75-28-5		F4
propane	74-98-6		F4

### Legend

CO F3 Corrosive

Flammable - Third Degree F4 Flammable - Fourth Degree R1 Reactive - First Degree

United States: en Page: 16 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	CAS No	Classification
Diethylene glycol monobutyl ether		E
isobutane	75-28-5	

Legend

E Environmental hazard

#### - Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Morpholine	110-91-8	T, F
isobutane	106-97-8	T, F
propane	74-98-6	Т

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

### Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily
Health	0	material that, under emergency conditions, would offer no hazard beyond that of or- dinary combustible material

United States: en Page: 17 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19

Replaces version of: 2020-01-02 (GHS 1)

Category	Degree of hazard	Description
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

#### **National inventories**

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances CICR

CSCL-ENCS

DSL

**ECSI** 

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China IECSC

INSQ National Inventory of Chemical Substances ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances KECI NZIoC

PICCS

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory TCSI

**TSCA** Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

United States: en Page: 18 / 22





# **Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol**

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

# SECTION 16: Other information, including date of preparation or last revision

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Statement of Hazardous Nature: This product is classified as: Not classified as hazardous according to the criteria of SWA Australia. Not a Dangerous according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.	Other hazards	yes
	SUSMP Classification: None allocated.		
	ADG Classification: None allocated. Not a Dangerous Good.		
2.3	Additional information: HSNO Approval: HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2017.  New Zealand Hazchem Code: 1[T] (recommended)  Uses: car care preparation  This product has been approved under the Hazardous Substances and New Organism Act (HSNO, Approval HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2017, and is classified as follows:  Classes: 6.1E, 6.3A, 6.4A, 6.5B, 9.1D		yes
2.3	·	Hazards not otherwise classified	yes
2.3		Hazards not otherwise classified: change in the listing (table)	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes

# **Abbreviations and acronyms**

United States: en Page: 19 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

	-02 (GBS 1)
Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code

United States: en Page: 20 / 22



acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol

Version number: GHS 2.1 Revision: 2020-01-19

Replaces version of: 2020-01-02 (GHS 1)

Abby	Descriptions of used abbreviations
Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
sA	Simple asphyxiants
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United States: en Page: 21 / 22



acc. to 29 CFR 1910.1200 App D

# **Armor All FRESHfx Carpet & Upholstery Cleaner New Car - Aerosol**

Version number: GHS 2.1 Revision: 2020-01-19 Replaces version of: 2020-01-02 (GHS 1)

# List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H220	Extremely flammable gas.
H224	Extremely flammable liquid and vapor.
H226	Flammable liquid and vapor.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
OSHA002	May displace oxygen and cause rapid suffocation.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 22 / 22