Version number: 1.1

Energizer.

SECTION 1: Identification

Holdinas. Inc

1.1 Product identifier

Trade name Alternative number(s)

Armor All Snow Foam Wash - Bottle

067788191597, 070612191410, 070612191410

Date of compilation: 2020-01-19

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA) e-mail: energizer@custhelp.com Website: http://data.energizer.com

1.4 Emergency telephone number

Emergency information service

1-314-985-1511 Int'l: 1-800-526-4727 This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger
- Pictograms

GHS05, GHS07





Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Armor All Snow Foam Wash - Bottle

Version number: 1.1

Date of compilation: 2020-01-19

- Hazard statements H302 H315 H318	G Harmful if swallowed. Causes skin irritation. Causes serious eye damage.
- Precautionary stat	ements
P101	If medical advice is needed, have product container or label at hand.
P103	Read label before use.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regula- tions.

- Hazardous ingredients for labelling

Sulfonic acids, C14-16-alkane hydroxy and C14-16alkene, sodium salts, glycerol

2.3 Other hazards

Hazards not otherwise classified

Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Sulfonic acids, C14-16-al- kane hydroxy and C14-16- alkene, sodium salts	CAS No 68439-57-6	5-<10	Skin Irrit. 2 / H315 Eye Dam. 1 / H318	A CONTRACTOR
Sodium Lauryl Ether Sulfate	CAS No 68585-34-2	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	()
glycerol	CAS No 56-81-5	1 - < 5	Acute Tox. 2 / H300	



Version number: 1.1

Date of compilation: 2020-01-19

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
C10-16 Alcohol Ethoxylate	CAS No 68002-97-1	<1	Acute Tox. 1 / H330	
1,2-Benzisothiazolin-3-one	CAS No 2634-33-5	<1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317	

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet



Safety Data Sheet acc. to 29 CFR 1910.1200 App D

Armor All Snow Foam Wash - Bottle

Version number: 1.1

Date of compilation: 2020-01-19

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.



Version number: 1.1

Date of compilation: 2020-01-19

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	glycerine	56-81-5	REL							mist, appx- D	NIOSH REL
US	glycerol	56-81-5	PEL		15					mist, i	29 CFR 1910.1 000
US	glycerol	56-81-5	PEL		5					mist, r	29 CFR 1910.1 000

Notation

appx-D see Appendix D - Substances with No Established RELs

Ceiling-C ceiling value is a limit value above which exposure should not occur

inhalable fraction

mist as mists

respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified

Relevant DNELs of components of the mixture								
Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
glycerol	56-81-5	DNEL	56 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects		



Version number: 1.1

Date of compilation: 2020-01-19

Relevant DNELs of components of the mixture									
Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
1,2-Benzisothiazolin- 3-one	2634-33-5	DNEL	6.81 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects			
1,2-Benzisothiazolin- 3-one	2634-33-5	DNEL	0.966 mg/ kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects			
Relevant PNECs of	components	s of the m	ixture						
Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time			
glycerol	56-81-5	PNEC	8.85 ^{mg} / _l	aquatic organisms	water	intermittent re- lease			
glycerol	56-81-5	PNEC	0.885 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
glycerol	56-81-5	PNEC	0.088 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
glycerol	56-81-5	PNEC	1,000 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)			
glycerol	56-81-5	PNEC	3.3 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)			
glycerol	56-81-5	PNEC	0.33 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
glycerol	56-81-5	PNEC	0.141 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	4.03 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)			
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	0.403 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)			
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	1.03 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)			
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	49.9 ^{µg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)			
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	4.99 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	3 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			

8.2 Exposure controls

Appropriate engineering controls General ventilation.



Version number: 1.1

Date of compilation: 2020-01-19

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	various
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	290 °C at 760 mmHg
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)



Version number: 1.1

Date of compilation: 2020-01-19

Explosive limits	
- Lower explosion limit (LEL)	2.7 vol%
- Upper explosion limit (UEL)	19 vol%
Vapor pressure	0.003 mmHg at 50 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Solvent content	96.98 %
Solid content	2.885 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.



Version number: 1.1

Date of compilation: 2020-01-19

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed.

- Acute toxicity estimate (ATE) Oral 1,350 ^{mg}/_{kg}

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ΑΤΕ
glycerol	56-81-5	oral	27 ^{mg} / _{kg}
C10-16 Alcohol Ethoxylate	68002-97-1	inhalation: vapor	0.1 ^{mg} / _l /4h
1,2-Benzisothiazolin-3-one	2634-33-5	oral	670 ^{mg} / _{kg}

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.



Version number: 1.1

Date of compilation: 2020-01-19

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential Data are not available.

.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Version number: 1.1

Date of compilation: 2020-01-19

SECTION 14: Transport information

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

- not assigned
- not assigned
- not assigned
- non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	cleaning agent	
Sodium Lauryl Ether Sulfate	68585-34-2	surfactant	
glycerol	56-81-5	solvents	



Version number: 1.1

Date of compilation: 2020-01-19

Name of substance	CAS No	Functionality	Authoritative Lists
n-[3-(Dimethylnitroryl)propyl]dodecanamide	61792-31-2	surfactant	
Sodium xylenesulphonate	1300-72-7	surfactant	
Cocamidopropyl betaine	61789-40-0	surfactant	
Sodium sulphate	7757-82-6	filler	
Myristamidopropylamine oxide	67806-10-4	surfactant	
C10-16 Alcohol Ethoxylate	68002-97-1	surfactant	
hydrogen peroxide	7722-84-1	oxidizer	
patchouli ethanone	54464-57-2	fragrance	
Coumarin	91-64-5	fragrance	EU Fragrance Allergens
1,2-Benzisothiazolin-3-one	2634-33-5	preservative	
RM Acusol OP 301 Opacifier		opacifier	

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
glycerol	56-81-5	А	mist

Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
glycerol	56-81-5		

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	CAS No	Classification
glycerol	56-81-5	
Sodium sulphate	7757-82-6	E

Legend

E Environmental hazard



Version number: 1.1

Date of compilation: 2020-01-19

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
glycerol	56-81-5	T, F
Legend		

F Flammability (NFPA®) T Toxicity (ACGIH®)

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with wa- ter, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed



Version number: 1.1

Date of compilation: 2020-01-19

Country	Inventory	Status
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances
REACH registered substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value



Version number: 1.1

Date of compilation: 2020-01-19

Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
РВТ	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.



Version number: 1.1

Date of compilation: 2020-01-19

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.