

acc. to 29 CFR 1910.1200 App D



# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1

Date of compilation: 2017-07-18

# **SECTION 1: Identification**

### 1.1 **Product identifier**

Trade name

# California Scents Citrus Splash-Orange Squeeze Aerosol

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses

# 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. 44145 Westlake United States

Telephone: 800-383-7323 (USA / CANADA) e-Mail: Http://data.energizer.com

### 1.4 Emergency telephone number

(800) 255-3924 USA, Canada, Puerto Rico, and US Virgin Islands, +1 (813) 248-0585 International

# SECTION 2: Hazard(s) identification

# 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

229.

For full text of abbreviations: see SECTION 16. Contains gas under pressure; may explode if heated.

### Additional information

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word Danger
- Pictograms



acc. to 29 CFR 1910.1200 App D

# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1



Date of compilation: 2017-07-18

Hazard statements	
H222	Extremely flammable aerosol.
H229	Pressurized container: may burst if heated.
H280	Contains gas under pressure; may explode if heated.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

# - Precautionary statements

<b>-</b>	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regula- tions.

Citrus aurantium dulcis (Orange) oil, acetone

- Hazardous ingredients for labelling

# 2.3 Other hazards

Hazards not otherwise classified

Supplemental hazard information.

Repeated exposure may cause skin dryness or cracking. Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and chronic).

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GH
1,1-difluoroethane	CAS No 75-37-6	25 - < 50	Flam. Gas 1 / H220 Press. Gas C / H280



Version number: 1.1

Date of compilation: 2017-07-18

Hazardous ingredients acc. to GHS					
Name of substance	Identifier	Wt%	Classification acc. to GHS		
acetone	CAS No 67-64-1	25-<50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336		
n-butane	CAS No 106-97-8	10-<25	Flam. Gas 1 / H220 Press. Gas C / H280		
propane	CAS No 74-98-6	5-<10	Flam. Gas 1 / H220 Press. Gas C / H280 sA / OSHA002		
isobutane	CAS No 75-28-5	5-<10	Flam. Gas 1 / H220 Press. Gas C / H280		
Citrus aurantium dulcis (Orange) oil	CAS No 8008-57-9	1-<5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1A / H317 Asp. Tox. 1 / H304		

For full text of abbreviations: see SECTION 16. For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.

### **SECTION 4: First-aid measures**

### 4.1 Description of first- aid measures

### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

### Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.



acc. to 29 CFR 1910.1200 App D

# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1

Date of compilation: 2017-07-18

# **4.2 Most important symptoms and effects, both acute and delayed** Narcotic effects.

**4.3** Indication of any immediate medical attention and special treatment needed none

### **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder

Unsuitable extinguishing media Water jet

### 5.2 Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

Hazardous combustion products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Remove persons to safety.

For emergency responders Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

# 6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.



acc. to 29 CFR 1910.1200 App D



# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1

Date of compilation: 2017-07-18

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 9. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Level 2 Aerosol.

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

### Control of the effects

Protect against external exposure, such as Heat, High temperatures

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Cou tr		Name of sub- stance	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]
U	S	acetone	67-64-1		PEL	1,000	2,400		
U	S	propane	74-98-6		PEL	1,000	1,800		

Notation

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

STEL

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average

acc. to 29 CFR 1910.1200 App D



# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1

Date of compilation: 2017-07-18

# 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

# Skin protection

- Hand protection Wear protective gloves.
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

During spraying wear suitable respiratory equipment.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	aerosol
Color	Conforms to Standard
Odor	Citrus-like
pH (value)	
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	flammable aerosol in accordance with GHS criteria
Explosive limits	not determined
Vapor pressure	not determined
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined
Partition coefficient	not determined



Version number: 1.1	Date of compilation: 2017-07-18
Auto-ignition temperature	not determined
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidizing properties	none
Propellant content	65 %

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure. Risk of ignition.

### If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

### 10.2 Chemical stability

See below "Conditions to avoid".

# 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion Protect from sunlight.

10.5 Incompatible materials

Oxidizers

# **10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

# Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

acc. to 29 CFR 1910.1200 App D



# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1

Date of compilation: 2017-07-18

# Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

### Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization May cause an allergic skin reaction.

### Germ cell mutagenicity Shall not be classified as germ cell mutagenic.

Carcinogenicity Shall not be classified as carcinogenic.

Reproductive toxicity Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

The classification criteria for this hazard class are not met. Shall not be classified as a specific target organ toxicant (repeated exposure).

# Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Other information

Repeated exposure may cause skin dryness or cracking.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
1,1-difluoroethane	75-37-6	LC50	295.8 <sup>mg</sup> / <sub>l</sub>	fish	96 h
1,1-difluoroethane	75-37-6	EC50	146.7 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
butane (containing ≥ 0,1 % butadiene (203- 450-8))	106-97-8	LC50	27.98 <sup>mg</sup> / <sub>l</sub>	fish	96 h
butane (containing ≥ 0,1 % butadiene (203- 450-8))	106-97-8	EC50	7.71 <sup>mg</sup> / <sub>l</sub>	algae	96 h



Version number: 1.1

Date of compilation: 2017-07-18

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
propane	74-98-6	LC50	27.98 <sup>mg</sup> / <sub>l</sub>	fish	96 h
propane	74-98-6	EC50	7.71 <sup>mg</sup> / <sub>l</sub>	algae	96 h
isobutane	75-28-5	LC50	27.98 <sup>mg</sup> / <sub>l</sub>	fish	96 h
isobutane	75-28-5	EC50	7.71 <sup>mg</sup> / <sub>l</sub>	algae	96 h

# 12.2 Persistence and degradability

Data are not available

- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential None of the ingredients are listed.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Energizer.

acc. to 29 CFR 1910.1200 App D

# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1 Date of compilation: 2017-07-18 **SECTION 14: Transport information** 14.1 UN number 1950 14.2 UN proper shipping name Aerosols 14.3 Transport hazard class(es) Class 2.1 (gases) (aerosol) (flammable) 14.4 Packing group not assigned to a packing group 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations 14.6 Special precautions for user There is no additional information. 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk. Information for each of the UN Model Regulations Transport of dangerous goods by road or rail (49 CFR US DOT) Index number 1950 CONSUMER COMMODITY Proper shipping name - Particulars in the shipper's declaration UN1950, Aerosols, 2.1 ORM-D Class Danger label(s) 2.1 Special provisions (SP) N82 ERG No 126 International Maritime Dangerous Goods Code (IMDG) **UN number** 1950 Proper shipping name **AEROSOLS** - Particulars in the shipper's declaration UN1950, AEROSOLS, 2.1 Class 2.1

2.1

Danger label(s)



Special provisions (SP)	63, 190, 277, 327, 344, 959
Excepted quantities (EQ)	EO
Limited quantities (LQ)	1 L
EmS	F-D, S-U
Stowage category	-
International Civil Aviation Organization (ICA	O-IATA/DGR)
UN number	1950
Proper shipping name	Aerosols, flammable
- Particulars in the shipper's declaration	UN1950, Aerosols, flammable, 2.1
Class	2.1
Danger label(s)	2.1
Special provisions (SP)	A145, A167
Excepted quantities (EQ)	EO
Limited quantities (LQ)	30 kg

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

# SARA TITLE III (Superfund Amendment and Reauthorization Act)

- List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302 and 304) none of the ingredients are listed
- Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313) none of the ingredients are listed

# CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

- Section 102(A) Hazardous Substances (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
acetone	67-64-1		4	5000 (2270)

Legend 4

"4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

acc. to 29 CFR 1910.1200 App D



# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1

Date of compilation: 2017-07-18

Clean Air Act

Name of substance	CAS No	Type of registration	Basis for listing	Threshold quantity (lbs)
1,1-difluoroethane	75-37-6	Flammable substance	f	10000
isobutane	75-28-5	Flammable substance	f	10000
propane	74-98-6	Flammable substance	f	10000
butane (containing ≥ 0,1 % butadiene (203- 450-8))	106-97-8	Flammable substance	f	10000

Legend

f

Flammable gas.

New Jersey Worker and Community Right to Know Act N.J.S.A. 34:5A-1 et. seq.

Right to Know Hazardous Substance List			
Name acc. to inventory	CAS No	Remarks	Classifications
acetone	67-64-1		F3
1,1-difluoroethane	75-37-6		F4
isobutane	75-28-5		F4
propane	74-98-6		F4
butane	106-97-8		F4

Legend

F3 Flammable - Third Degree

F4 Flammable - Fourth Degree

# California Environmental Protection Agency (Cal/EPA): Proposition 65 Chemicals known to the State to cause cancer or reproductive toxicity

none of the ingredients are listed

# Industry or sector specific available guidance(s)

# NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal am- bient temperature or that is readily dispersed in air and burn readily
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with wa- ter, polymerize, decompose, condense, or self-react. Non-explosive



acc. to 29 CFR 1910.1200 App D

# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1

Date of compilation: 2017-07-18

Category	Rating	Description
Personal protective equipment	-	

### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal am- bient temperature or that is readily dispersed in air and burn readily
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# SECTION 16: Other information, including date of preparation or last revision

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

List of relevant phrases (code and full text as stated in chapter 2 and 3).

Code.	Text.
H220.	Extremely flammable gas.
H222.	Extremely flammable aerosol.
H225.	Highly flammable liquid and vapor.
H226.	Flammable liquid and vapor.
H229.	Pressurized container: may burst if heated.
H280.	Contains gas under pressure; may explode if heated.
H304.	May be fatal if swallowed and enters airways.
H315.	Causes skin irritation.
H317.	May cause an allergic skin reaction.
H319.	Causes serious eye irritation.
H336.	May cause drowsiness or dizziness.
OSHA002.	May displace oxygen and cause rapid suffocation.



acc. to 29 CFR 1910.1200 App D

# California Scents Citrus Splash-Orange Squeeze Aerosol

Version number: 1.1

Date of compilation: 2017-07-18

### Disclaimer

This SDS has been compiled and is solely intended for this product. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.