

Better Quality and Price. The Best Choice...Period.

Over the last 20 years, GP has quietly become the world's number one plunger pump manufacturer. Whether you have a self-serve, touchless or conveyor car wash operation, we offer a full line of pumps whose durability and performance exceeds our competitors ... and, at much lower price. In addition, we offer a better warranty, a stronger customer support organization and a full line of accessories.

For further details on why our pumps' quality exceeds that of our competitors' and what the price difference is, visit us at www.generalpump.com (click on "Car Wash"), e-mail sales@gpcompanies.com or call 651-454-6500.



Best
Quality.
Better
Price.



General Pump
1174 Northland Drive
Mendota Heights, MN 55120
651-454-6500 • 888-474-5487
Fax 651-454-8015
E-mail: sales@gpcompanies.com
www.generalpump.com





The Best Quality and Price Available

General Pump's 1635 vs. Competitor's 3535

With an innovative design that increases pump life and performance, GP easily beats its competitors as the best choice for touchless automatics. Read on for specific part-by-part comparisons.



Stronger, More Durable Connecting Rod

GP's connecting rod is cast iron for superior strength and durability with a bearing insert which can easily and inexpensively be replaced.



Innovative Crankshaft and Bearing Design Gives Longer Life

Our 1635 pump features a state-of-the-art crankshaft design, along with dual, self-aligning spherical bearings that dramatically reduces crankshaft stress and extends pump life.



Hand Built/Bench Tested

Every 1635 is hand built/tuned and bench tested to ensure that it meets GP's standards for continuous, trouble-free operation in rigorous car wash environments.

Limited Lifetime Washout Warranty

GP's pump has a lifetime warranty against washouts and 5 years on all other parts.*

Our competitor's warranty against washout and on all other parts is 2 years.

*Excludes wear parts. See the GP warranty statement for full details.

Washout Protection, Limited Leaks

GP's one-piece manifold features a unique nickel-impregnated design that limits the potential for washouts and chemical erosion. With only four bolts, leak possibilities are minimized and maintenance simplified.

With a two piece manifold design, our competitor's pump is more susceptible to washouts. Their design also requires twelve assembly bolts, increasing leak possibilities and service time.



available.

Whether you need a pump for self-service applications or the latest touchless automatic, General Pump is the best choice for you. But don't just take our word for it. Review the results below from two head-to-head pump comparisons between GP and a leading competitor. You'll find that our pumps offer the ultimate value, performance and durability that no one can match.

General Pump's 2040 vs. Competitor's SCP

We're larger, stronger and less expensive. The numbers prove that GP is the best choice for self-service applications.




Stress Reducing, Tapered Roller Bearing

GP's tapered roller bearing enables it to handle 26% more load than our competitor's pump. This significantly reduces pump component stress and extends overall pump life.



37% Larger Crankshaft Gives Unmatched Strength

GP's bigger, 24mm dual crankshaft is nitride hardened for unmatched strength and durability.



29% Larger Connecting Rod Extends Pump Life

With a larger connecting rod made from durable white bronze, GP's 2040 pump boasts increased performance and durability.

83% Larger Crankcase Reduces Maintenance

The 2040's larger crankcase holds about two times more oil than our competitor's for superior performance.

57% Larger Manifold with Lifetime Warranty

Not only does GP's larger manifold offer superior performance and a lifetime warranty against washout, its bigger design facilitates operation even when damaged by freezing or erosion.

Our competitor's lifetime warranty against washout is only available on their optional "W" manifold at additional cost. Their warranty against washout on the standard manifold is 2 years.



Better Accessories. Best Quality.

GP's Full Line of Car Wash Accessories Deliver Industry-Leading Durability.

YBRV624 — Highly-reliable relief valve, 6.3 gpm, 2650 psi

YBRV5325 — Long lasting relief valve, 42 gpm, 2900 psi

YG3000DS — The industry's best selling dump gun, 10.5 gpm, 3000 psi

YG3600, YG4000, YG4001 — Durable trigger guns available in weep and non-weep, 9.0 to 10.5 gpm, up to 4050 psi

YCV14FB, YCV38FB, YCV12FB — Ultra-dependable, brass and stainless check valves, 6.5 to 48 gpm, 2200 to 6500 psi



Better Selection. Best Quality.

GP's Complete Line of Car Wash Pumps Provide Unmatched Performance.

Self-Service Series:

CW2004 — 4 gpm • 2000 psi Max
With a 1750 rpm shaft, this dependable pump couples directly to electric motors.

CW2040 — 5 gpm • 2500 psi Max
Its outstanding durability makes it the market's best choice for self-serve applications.

CW3040 — 5 gpm • 3000 psi Max
This 1250 rpm pump is perfect for truck wash, prep, and self-serve applications.

Tunnel Conveyor Series:

MD-15 — 12 gpm • 1800 psi Max
With the largest inlet in its class and superb reliability, it is ideal for two-gun prep stations.

CW61/81 — 21 gpm • 1200 psi Max
Its one piece manifold design minimizes washouts and eases maintenance making it a perfect choice for high pressure and rinse stations.

Touchless Series:

CW1635 — 35 gpm • 1600 psi Max
With durable, oversized, self-aligned bearings and an easy maintenance valve design, it outperforms all competitors.

CW1541 — 41 gpm • 1200 psi Max
The market's leading touchless automatic pump has a sixplex design that reduces pulsation and possible destructive cavitation.

