

# Commercial Workhorses

Three choices that will tackle the toughest vacuuming jobs!

## Model 100002

- **Floor Mount**
- **Two Heavy Duty Motors –**  
Deliver maximum cleaning power and reliable performance.
- **High Capacity Filter System –**  
Reduces maintenance intervals, saves you money.
- **Perform Routine Filter Changes and Maintenance Quickly –**  
Reduces operating costs and labor.
- **Large Bore Hose With Anti-Clog Inlet Design –**  
Keeps your vacuums running profitably.
- **Stainless Steel Construction –**  
Stands up to the toughest environments.



## Model 100005

- **Pole Or Wall Mounting**
- **Two Heavy Duty Motors –**  
Provides greater customer satisfaction with maximum power.
- **High Capacity System –**  
Ensures peak airflow and cuts costs and labor.
- **Perform Routine Filter Changes and Maintenance Quickly –**  
Prolong the life of your investment with easy access.
- **Large Bore Hose With Anti-Clog Inlet Design –**  
Less machine down time because of trapped debris.
- **Stainless Steel Construction –**  
Sturdy design weathers the elements

## Model 100006

- **Dual Hose Design With Auto Shut-Off Hangers**
- **Three Heavy Duty Motors –**  
Deliver multi-user cleaning power and reliable performance.
- **High Capacity Filter System –**  
Machine can run for longer periods, saves money.
- **Perform Routine Filter Changes and Maintenance Quickly –**  
Less machine down time keeps profits flowing.
- **Stainless Steel Construction –**  
Strong durability, easy maintenance.
- **On/Off Toggle Switch –**  
Pre-wired for easy installation.



# Commercial Workhorses

Three choices that will tackle the toughest vacuuming jobs!

## Production Specifications (standard equipment):

### Airflow –

(100002, 100005) 150 cu.ft./min., 84" suction lift.  
(100006) 220 net cu. ft./min., 84" suction lift.

### Motors –

(100002, 100005) Two 900 Watt electric, by-pass cooled 7 amps each.  
(100006) Three 900 Watt electric, by-pass cooled 7 amps each.

### Filters –

(100002, 100005, 100006) Four bag system uses high performance napped synthetic filtration material, 15 sq. ft. effective filtration area and easy access filter service door.

### Hose –

(100002, 100005) 2" diameter x 15' long, high flex crushable plastic, includes cuff and polyethylene hand tool.  
(100006) Two 1-1/2" x 15' hoses.

### Hose Hangers –

(100006) Two hose hangers with shut-off adapters.

### Tank –

(100002, 100005, 100006) 304 grade, 18 gauge stainless steel, brushed finish. Size: 42" H x 18.5" OD.

### Mounting –

(100002, 100006) Three mounting lugs for 1/2" bolts (concealed front bolt).  
(100005) Two side-mount brackets for wall or pole mounting.

### Dimensions –

(100002) Unit: 52" H x 20" W x 24" D  
With shipper: 58" H x 25.5" W x 28" D  
(100005) Unit: 52" H x 26" W x 30" D  
With shipper: 58" H x 28" W x 28" D  
(100006) Unit: 52" H x 28" W x 20" D  
With shipper: 58" H x 28" W x 28" D

### Dome Dimensions –

20" (OD) x 10.5" H (stainless steel)  
21.5" (OD) x 12" H (polyethylene)

### Unit Weight –

(100002) Net 78 lbs; w/shipper 137 lbs  
(100005) Net 86 lbs; w/shipper 141 lbs  
(100006) Net 92 lbs; w/shipper 137 lbs

## More Commercial Vacuum Features:

### • Quiet Kit Options:

Sound attenuating insulation and/or special quiet motors available. Ideal for indoor applications.

### • Finish Options:

Maintenance-free mirror finish.

### • Motor and Power Options:

Available for use with 120 VAC or 240 50/60 hz VAC power. Three motors are available for premium power marketing or high altitude installations.

### • Switch and Timer Options:

On/off toggle or with push-button programmable timer.

### • Dome Options:

Stainless Steel standard. Poly domes available in five color choices, lighted or unlighted.

### • Hose Options:

Hose choices include 1-1/2" or 2" diameter in five colors. Available in 15', 25', and 50' lengths. Exclusive tapered hose provides clog-free, high-flow power (15 foot, gray only).



INCREDIBLY POWERFUL

**INDUSTRIAL VACUUM SYSTEMS**

3611 3 Mile Rd. NW • Grand Rapids, MI 49534

800.968.8227 • Fax: 616.246.1706

www.IVS-Vacuum.com