

Safety Data Sheet

FONIC WASH (DT-100)

Section 1. Identification

Product Identifier FONIC WASH (DT-100)

Synonyms LIQUID FOAMING DETERGENT

Manufacturer Stock

Numbers

N/A

Recommended use HIGH PRESSURE SOAP, HIGH FOAMING LIQUID DETERGENT

Uses advised against N/A

Manufacturer Contact

Address JBS INDUSTRIES 2550 HENKLE DR

LEBANON, OHIO, 45036

USA

Phone Emergency Phone Fax

(513) 228-2800 (800) 424-9300 (513) 228-2810

CHEMTREC

Email

SBAETEN@JBSINDUSTRIES.COM

Section 2. Hazards Identification

Classification N/A

Signal Word Pictogram

Hazard Statements N/A

Precautionary Statements

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash before reuse

Prevention Wash exposed skin and clothing thoroughly after handling.

Wear protective gloves and eye protection.

Storage Store in a closed container

Disposal Dispose of contents/container according to local, state, and federal law.

General

IRRITATING TO EYES. INHALATION OF MISTS MAY BE IRRITATING TO

THROAT AND RESPIRATORY TRACT. REPEATED CONTACT WITH SKIN CAN REMOVE NATURAL OILS AND CAUSE DRYNESS AND IRRITATION.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

N/A

No Data Available

Section 3. Ingredients

CAS	Ingredient Name	Weight %
	PROPRIETARY SUFACTANT BLEND	20% - Max
111-76-2	Ethanol, 2-butoxy-	5% - Max

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Immediately flush eyes with plenty of water. Get medical attention, if irritation Eye

persists.

Skin Wash with soap and water. Wash clothing separately before reuse.

If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a Ingestion

physician or poison control center immediately. Never give anything by mouth to an

unconscious person.

Inhalation If exposed to excessive levels of dusts or fumes, remove to fresh air and get

medical attention if cough or other symptoms develop.

Section 5. Fire Fighting Measures

Suitable Extinguishing

Material will not burn.

Media

Fire fighting procedures appropriate for the surrounding materials.

Unsuitable Extinguishing

Media

Section 6. Accidental Release Measures

Clean-up

Small spills may be diluted and rinsed to sanitary sewer. Large spills should be contained and offered for disposal per state and/or local laws.

Section 7. Handling and Storage

Handling Spills may cause floor to become slippery

Storage Store in original container at temperatures below 120 degrees F. Product is best if

used within 6mths of purchase.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Ingredient Name ACGIH TLV OSHA PEL STEL

Limits

PROPRIETARY SUFACTANT BLEND N/A N/A N/A Ethanol, 2-butoxy- TWA 20PPM TWA 50ppm (skin) N/A

Personal Protective

Equipment

Goggles, Gloves

Eye/Face Protection Wear safety glasses.
Skin Protection Neoprene gloves
Respiratory Protection Good general ventilation

Ingredient(s) - Exposure 2-BUTOXYETHANOL ACGIH TLV-TWA 20ppm OSHA PEL-TWA 50ppm (Skin)

Limits

Section 9. Physical and Chemical Properties

Physical State	LIQUID
Color	RED COLOR
Odor	SLIGHT
	CHARACTERISTIC
	ODOR
Odor Threshold	N/A
Solubility	COMPLETE
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	1.02
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	N/A
FP Method	N/A
Ph	7
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

Section 10. Stability and Reactivity

STABILITY: STABLE

HAZARDOUS WILL NOT OCCUR

POLYMERIZATION:

Section 11. Toxicological Information

No Data Available

Section 12. Ecological Information

No Data Available

Section 13. Disposal

WASTE DISPOSAL METHOD:

For proper disposal of waste, refer to federal and state regulations.

Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name Not a regulated product

DOT Classification N/A
Packing Group N/A
FREIGHT CLASS 55

Section 15. Regulatory Information

Ingredient(s) - U.S.
Regulatory Information

2-BUTOXYETHANOL SARA Title III - Section 313 Form "R"/TRI Reportable

Chemical

Ingredient(s)-State 2-BUTOXYETHANOL New Jersey - Work Place Hazard, Environmental Hazard, Special Hazard Pennsylvania - Work Place Hazard Massachusetts - Hazardous

Substance New York City - Hazardous Substance

Section 16. Other Information

Revision Date 3/6/2015

NFPA Rating Health: 1 Fire: 0 Reactivity: 0

HMIS Health: 1 Fire: 0 Reactivity: 0 Personal Protection: B

DISCLAIMER: The information contained herein is believed to be accurate and is offered in good

faith. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any

process. Mixing this product with any other materials may change the

characteristics such as flash point, flammability or health effects. Because product

use is beyond our control, no warranty is given, expressed or implied.