



Safety Data Sheet

PREDATOR S/S (TR-126)

Section 1. Identification

Product Identifier PREDATOR S/S (TR-126)
Synonyms N/A
Manufacturer Stock Numbers N/A

Recommended use TIRE & WHEEL CLEANER, LIQUID FOAMING DETERGENT
Uses advised against N/A

Manufacturer Contact Address
JBS INDUSTRIES
2550 HENKLE DR
LEBANON, OHIO, 45036
USA

Phone
(513) 228-2800

Emergency Phone
(800) 424-9300
CHEMTREC

Fax
(513) 228-2810

Email
SBAETEN@JBSINDUSTRIES.COM

Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 2A
SKIN CORROSION/IRRITATION - Category 2

Signal Word Warning

Pictogram



Hazard Statements Causes serious eye irritation
Causes skin irritation

Precautionary Statements
Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

	water/shower. Wash contaminated clothing before reuse.
Prevention	Do not get in eyes, on skin, or on clothing. Wear protective gloves.
Storage	Store in a closed container
Disposal	Dispose of contents/container according to federal, state, and local laws.
General	IRRITATING TO EYES. INHALATION OF MISTS MAY BE IRRITATING TO THROAT AND RESPIRATORY TRACT. REPEATED CONTACT WITH SKIN CAN REMOVE NATURAL OILS AND CAUSE DRYNESS AND IRRITATION.
Ingredients of unknown toxicity	0%
Hazards not Otherwise Classified	N/A
	No Data Available

Section 3. Ingredients

CAS	Ingredient Name	Weight %
111-76-2	Ethanol, 2-butoxy-	1% - 5%
	PROPRIETARY SURFACTANT BLEND	20% - Max
1310-58-3	Potassium hydroxide	5% - 10%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

EYE CONTACT:	Immediately flush with clean water for 15 minutes. Seek medical attention.
SKIN CONTACT:	Wash thoroughly with soap and water; remove soiled clothing and wash before re-use.
INGESTION:	DO NOT INDUCE VOMITING! Seek medical attention.
INHALATION	Move to fresh air. If irritation persists get medical attention.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Fire fighting procedures appropriate for the surrounding materials. Material will not burn.
Unsuitable Extinguishing Media	N/A

Section 6. Accidental Release Measures

Clean-up	Small spills may be diluted and rinsed to sanitary sewer. Large spills should be contained and offered for disposal per state and/or local laws.
----------	--

Section 7. Handling and Storage

Handling
Storage

Spills may cause floor to become slippery
Store in original container at temperatures below 120 degrees F. Product is best if used within 6mths of purchase. Do not store in metal containers

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Ethanol, 2-butoxy-	TWA 20PPM	TWA 50ppm (skin)	N/A
	PROPRIETARY SURFACTANT BLEND	N/A	N/A	N/A
	Potassium hydroxide	2MG/M3	N/A	N/A
Personal Protective Equipment	Goggles, Gloves			
EYE/FACE PROTECTION	Wear safety glasses or goggles			
EYE PROTECTION	Maintain eye wash fountain and quick drench facilities in work area.			
PROTECTIVE GLOVES:	Chemical-resistant gloves (Neoprene is recommended).			
RESPIRATORY PROTECTION	Adequate ventilation			

Section 9. Physical and Chemical Properties

Physical State	LIQUID
Color	BLUE OR AMBER
Odor	SLIGHT CHEMICAL
Odor Threshold	N/A
Solubility	COMPLETE
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	1.08
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	N/A
FP Method	N/A
Ph	14 AT A CONCENTRATION 1 TO 1
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

Section 10. Stability and Reactivity

STABILITY:	STABLE
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR
Conditions To Avoid	Strong Acids
Incompatible Materials	Concentrate will corrode untreated metal.

Section 11. Toxicological Information

No Data Available

Section 12. Ecological Information

No Data Available

Section 13. Disposal

WASTE DISPOSAL METHOD: For proper disposal of waste, refer to federal and state regulations.

WASTE DISPOSAL Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Empty containers should be disposed of as unused product.

Section 14. Transport Information

UN Number 1814
UN Proper Shipping Name Potassium Hydroxide,solution
DOT Classification 8 Corrosive
Packing Group PGII
FREIGHT CLASS 55

Section 15. Regulatory Information

Ingredient(s) - U.S. Regulatory 2-BUTOXYETHANOL SARA Title III - Section 313 Form "R"/TRI Reportable Chemical SARA - Acute Health Hazard SARA - Chronic Health Hazard SARA- Fire Hazard

Ingredient(s)-State Regulations 2-BUTOXYETHANOL New Jersey - Work Place Hazard, Enviromental Hazard, Special Hazard Pennsylvania - Work Place Hazard Massachusetts - Hazardous Substance New York City - Hazardous Substance POTASSIUM HYDROXIDE New Jersey - Workplace Hazard New Jersey - Special Hazard Pennsylvania - Workplace Hazard Pennsylvania - Enviromental Hazard Massachusetts - Hazardous Substance New York City - Hazardous Substance

Section 16. Other Information

Revision Date 00/00/00

NFPA Rating Health: 1 Fire: 0 Reactivity: 0

HMIS Rating Health: 3 Fire: 0 Reactivity: 1 Personal Protective: B

DISCLAIMER: The information contained herein is believed to be accurate and is offered in good faith. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Mixing this product with any other materials may change the characteristics such as flash point, flammability or health effects. Because product use is beyond our control, no warranty is given, expressed or implied.