



Safety Data Sheet

JB-55 FOAM BRUSH PLUS (DT-230)

Section 1. Identification

Product Identifier	JB-55 FOAM BRUSH PLUS (DT-230)		
Synonyms	LIQUID DETERGENT		
Manufacturer Stock Numbers	N/A		
Recommended use	FOAMING BRUSH DETERGENT, LIQUID FOAMING DETERGENT		
Uses advised against	N/A		
Manufacturer Contact Address	JBS INDUSTRIES 2550 HENKLE DR LEBANON, OHIO, 45036 USA		
	Phone	Emergency Phone	Fax
	(513) 228-2800	(800) 424-9300 CHEMTREC	(513) 228-2810
	Email	SBAETEN@JBSINDUSTRIES.COM	

Section 2. Hazards Identification

Classification	N/A
Signal Word	
Pictogram	
Hazard Statements	N/A
Precautionary Statements	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If swallowed: Immediately call a poison center/doctor/or 911
Prevention	Wear protective gloves.
Storage	Store in a closed container
Disposal	Dispose of contents/container to ...
General	IRRITATING TO EYES. INHALATION OF MISTS MAY BE IRRITATING TO THROAT AND RESPIRATORY TRACT. REPEATED CONTACT WITH SKIN CAN REMOVE NATURAL OILS AND CAUSE DRYNESS AND IRRITATION.

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified N/A

No Data Available

Section 3. Ingredients

CAS	Ingredient Name	Weight %
	PROPRIETARY SURFACTANT BLEND	20% - Max
111-76-2	Ethanol, 2-butoxy-	5% - Max

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

EYE CONTACT: Immediately flush with clean water for 15 minutes. Seek medical attention.
SKIN CONTACT: Wash thoroughly with soap and water; remove soiled clothing and wash before re-use.
INGESTION: DO NOT INDUCE VOMITING! Seek medical attention.
INHALATION: Move to fresh air. If irritation persists get medical attention.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media: Fire fighting procedures appropriate for the surrounding materials. Material will not burn.
Unsuitable Extinguishing Media: N/A

Section 6. Accidental Release Measures

Clean-up: Small spills may be diluted and rinsed to sanitary sewer. Large spills should be contained and offered for disposal per state and/or local laws.

Section 7. Handling and Storage

Storage: Store in original container at temperatures below 120 degrees F. Product is best if used within 6mths of purchase.
Handling: Spills may cause floor to become slippery

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	PROPRIETARY SURFACTANT BLEND	N/A	N/A	N/A
	Ethanol, 2-butoxy-	TWA 20PPM	TWA 50ppm (skin)	N/A
Personal Protective Equipment	Goggles, Gloves			
EYE/FACE PROTECTION	Wear safety glasses or goggles			
PROTECTIVE GLOVES:	Chemical-resistant gloves (Neoprene is recommended).			
RESPIRATORY PROTECTION	Adequate ventilation			

Section 9. Physical and Chemical Properties

Physical State	LIQUID
Color	VARIES (PINK, CLEAR, BLUE, YELLOW, GREEN, PURPLE)
Odor	VARIES SLIGHT CHARACTERISTIC
Odor Threshold	N/A
Solubility	COMPLETE
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	1.02
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	N/A
FP Method	N/A
Ph	7 AT A CONCENTRATE OF 7
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

Section 10. Stability and Reactivity

STABILITY: STABLE
HAZARDOUS WILL NOT OCCUR
POLYMERIZATION:

Section 11. Toxicological Information

No Data Available

Section 12. Ecological Information

No Data Available

Section 13. Disposal

WASTE DISPOSAL METHOD: For proper disposal of waste, refer to federal and state regulations.

Section 14. Transport Information

UN Number N/A
UN Proper Shipping Name NOT A DOT REGULATED PRODUCT
DOT Classification N/A
Packing Group N/A

Section 15. Regulatory Information

Ingredient(s) - U.S. Regulatory 2-BUTOXYETHANOL SARA Title III - Section 313 Form "R"/TRI Reportable Chemical SARA - Acute Health Hazard SARA - Chronic Health Hazard SARA - Fire Hazard
Ingredient(s)-State Regulations 2-BUTOXYETHANOL New Jersey - Work Place Hazard, Enviromental Hazard, Special Hazard Pennsylvania - Work Place Hazard Massachusetts - Hazardous Substance New York City - Hazardous Substance

Section 16. Other Information

Revision Date 00/00/00
NFPA Rating Health: 1 Fire: 0 Reactivity: 0
HMIS Health: 1 Fire: 0 Reactivity: 0 Personal Protection: B
DISCLAIMER: The information contained herein is believed to be accurate and is offered in good faith. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Mixing this product with any other materials may change the characteristics such as flash point, flammability or health effects. Because product use is beyond our control, no warranty is given, expressed or implied.