



Safety Data Sheet

MIGHTY WHITE (TR-150)

Section 1. Identification

Product Identifier MIGHTY WHITE (TR-150)
Synonyms LIQUID FOAMING DETERGENT
Manufacturer Stock
Numbers N/A

Recommended use WHEEL AND WHITE WALL CLEANER
Uses advised against N/A

Manufacturer Contact
Address JBS INDUSTRIES
 2550 HENKLE DR
 LEBANON, OHIO, 45036
 USA

Phone
(513) 228-2800

Emergency Phone
(800) 424-9300
CHEMTREC

Fax
(513) 228-2810

Email
SBAETEN@JBSINDUSTRIES.COM

Section 2. Hazards Identification

Classification SKIN CORROSION/IRRITATION - Category N/A

Signal Word Warning

Pictogram



Hazard Statements CORROSIVE TO EYES AND SKIN

Precautionary Statements

Response

If on skin: Wash with plenty of water and soap.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

Prevention

Wash exposed skin and hair thoroughly after handling.

Storage
Disposal

Wear protective gloves.
Wear protective gloves/eye protection/face protection.
Store in a closed container
Dispose of contents/container according to federal, state, and local laws.

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified N/A

No Data Available

Section 3. Ingredients

CAS	Ingredient Name	Weight %
111-76-2	Ethanol, 2-butoxy-	1% - 5%
	PROPRIETARY SUFACTANT BLEND	20% - Max
1310-58-3	Potassium hydroxide	5% - 10%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Eye Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Skin Wash with soap and water. Get medical attention if irritation develops or persists. Wash clothing separately before reuse.

Ingestion DO NOT induce vomiting. If vomiting does occur, have the victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything by mouth to an unconscious individual.

Inhalation Move to fresh air. If irritation persists get medical attention.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media Material will not burn.
Fire fighting procedures appropriate for the surrounding materials.

Unsuitable Extinguishing Media N/A

Section 6. Accidental Release Measures

Clean-up Small spills may be diluted and rinsed to sanitary sewer. Large spills should be contained and offered for disposal per state and/or local laws.

Section 7. Handling and Storage

Storage	Store in original container at temperatures below 120 degrees F. Product is best if used within 6mths of purchase.
Handling	Spills may cause floor to become slippery
Storage	Do not store in metal containers

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Ethanol, 2-butoxy-	TWA 20PPM	TWA 50ppm (skin)	N/A
	PROPRIETARY SUFACTANT BLEND	N/A	N/A	N/A
	Potassium hydroxide	2MG/M3	N/A	N/A
Personal Protective Equipment	Goggles, Gloves			
Eye/Face Protection	Wear safety glasses.			
Engineering controls	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.			
Skin Protection	Neoprene gloves			
Respiratory Protection	Good general ventilation			

Section 9. Physical and Chemical Properties

Physical State	LIQUID
Color	Blue or Amber Color
Odor	Slight Chemical Odor
Odor Threshold	N/A
Solubility	Complete
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	1.08
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	N/A
FP Method	N/A
Ph	14 @ 1 to 1
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	NOT FLAMMABLE
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

Section 10. Stability and Reactivity

STABILITY: Stable under ordinary conditions of use and storage.
HAZARDOUS WILL NOT OCCUR
POLYMERIZATION:

Section 11. Toxicological Information

No Data Available

Section 12. Ecological Information

No Data Available

Section 13. Disposal

WASTE DISPOSAL METHOD: For proper disposal of waste, refer to federal and state regulations.

Section 14. Transport Information

UN Number 1814
UN Proper Shipping Name POTASSIUM HYDROXIDE, SOLUTION
DOT Classification 8
Packing Group PGII
FREIGHT CLASS 55

Section 15. Regulatory Information

Ingredient(s) - U.S. Regulatory 2-BUTOXYETHANOL SARA Title III - Section 313 Form "R"/TRI Reportable Chemical SARA - Acute Health Hazard SARA - Chronic Health Hazard SARA - Fire Hazard
Ingredient(s)-State Regulations 2-BUTOXYETHANOL New Jersey - Work Place Hazard, Enviromental Hazard, Special Hazard Pennsylvania - Work Place Hazard Massachusetts - Hazardous Substance New York City - Hazardous Substance POTASSIUM HYDROXIDE New Jersey - Workplace Hazard New Jersey - Special Hazard Pennsylvania - Workplace Hazard Pennsylvania - Enviromental Hazard Massachusetts - Hazardous Substance New York City - Hazardous Substance

Section 16. Other Information

Revision Date 00/00/00
NFPA Rating Health: 1 Fire: 0 Reactivity: 0
HMIS Rating Health: 3 Fire: 0 Reactivity: 1 Personal Protective: B
DISCLAIMER: The information contained herein is believed to be accurate and is offered in good faith. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Mixing this product with any other materials may change the characteristics such as flash point, flammability or health effects. Because product use is beyond our control, no warranty is given, expressed or implied.