

# T-Handle Cylinders

Medeco® provides a full range of T-handle cylinders, from general purpose models offering basic key control and pick resistance, to stainless steel bolt and shell models resistant to the most severe forms of vandalism and physical attack. All models may be keyed in together, as well as with other 60 series products, for ease of key management.

Medeco has over twenty-five years of experience manufacturing locks for the vending industry, and a proven track record of quality products and long term reliability. Patented key programs prevent the unauthorized duplication of keys and maintain system integrity.



The Medeco<sup>3</sup> unique design provides triple locking action, making the lock virtually pick proof. All Medeco<sup>3</sup> keys and locks are protected under patent, trademark, and copyright laws. Medeco<sup>3</sup> keys may only be duplicated by Medeco or by an authorized Medeco Service Center, and only at your request.

## Benefits:

- ▼ Medeco T-handle cylinder bolt and shell are constructed of high density zinc die-cast or stainless steel for higher security applications. Plugs constructed of machined brass with drill resistant, hardened stainless steel inserts.
- ▼ Unique elevating and rotating tumbler pin system is virtually pick proof.
- ▼ Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or authorized Medeco service center, and only at your request.
- ▼ Medeco cylinders are serviceable, and can be re-keyed by authorized Medeco service centers in case of lost or stolen keys.
- ▼ Medeco T-handle cylinders can be keyed in with other 60 series products (10 series products may be keyed into existing 60 series systems).
- ▼ All cylinders retrofit NAMA standard T-handles.

## Applications:

Medeco high security T-handle cylinders can be installed in any machine utilizing NAMA standard T-handles. Typical applications include:

Bill Changers                      Card Dispensing Equipment  
Vending Machines                Fare Collection Systems

## Warranty:

Warranted for two years against manufacturer's defects. See Medeco limited Warranty for full details.

## Certification:

UL® 437 Listed

## Technical Information:

Four pin standard, five pin available in limited models.

Dead and spring bolt functions available.

180° rotation to open.

Locks fit all NAMA standard t-handles.

## Finishes:

26 satin chrome finish standard.

# T-Handle Cylinders

## Ordering Instructions

**64 X XXXXX X - - XX - XX**

**64 Series T-Handle Cylinder**

**Cylinder Type**

- = Original
- W = Biaxial
- T = Medeco3

**Model Number**

- 0155 = 5 Pin spring bolt, zinc bolt, zinc shell
- 0155C = 5 Pin deadbolt, zinc bolt, zinc shell
- 0750E = 4 Pin spring bolt, zinc bolt, zinc shell
- 0750G = 4 Pin deadbolt, zinc bolt, zinc shell
- 0950 = 4 Pin spring bolt, steel bolt, zinc shell
- 0952 = 4 Pin deadbolt, steel bolt, zinc shell
- 1050 = 4 Pin spring bolt, steel bolt, steel shell
- 1051 = 4 Pin deadbolt, steel bolt, steel shell

**Key Section**

(Assigned by Medeco Customer Service)

**Finish**

(26) Satin Chrome Standard

**Plug Head Thickness**

T = Thick Head Plug

# T-Handle Cylinders

## Exploded Views

Medeco's® 0155 and 0750 series T-handle cylinders provide solid, general-purpose security, defying surreptitious entry via picking, drilling, and unauthorized key duplication. 0155 series comes in a 5 pin body design to maximize keying potential. 0750 series comes in a stout, 4 pin body style, to better resist physical attack. Both 0155 and 0750 are available in either spring or deadbolt models.

### 4 PIN SPRING BOLT T-HANDLE CYLINDER

Original  
W = Biaxial  
T = Medeco3

**Model Number** \_\_\_\_\_

0155 = 5 Pin spring bolt, zinc bolt, zinc  
0155C = 5 Pin deadbolt, zinc bolt, zinc  
0750E = 4 Pin spring bolt, zinc bolt, zi  
0750G = 4 Pin deadbolt, zinc bolt, zinc  
0950 = 4 Pin spring bolt, steel bolt, zinc  
0952 = 4 Pin deadbolt, steel bolt, zinc sh  
1050 = 4 Pin spring bolt, steel bolt, steel  
1051 = 4 Pin deadbolt, steel bolt, steel shell

Finish  
atin Chrome Standard

**Lead Thickness**  
nick Head Plug

ITEM	DESCRIPTION
1	Notched Key (Sold Separately)
2	Plug Assembly
3	Shell
4	Plug Retainer
5	Bolt Spring
6	Bolt

With enhanced security features, Medeco's 0950 series T-handle cylinders are for use in higher risk locations where the chance of physical attack is greater. With a solid steel bolt and reinforced shell, the 0950 is designed to resist would be thieves. Available in a 4 pin body style with either spring or deadbolt functions.

### 4 PIN SPRING BOLT, T-HANDLE CYLINDER, STEEL BOLT

ITEM	DESCRIPTION
1	Notched Key (Sold Separately)
2	Plug Assembly
3	Shell
4	Plug Retainer
5	Bolt Spring
6	Bolt

# T-Handle Cylinders

## Exploded Views

For locations where your property and profits are most vulnerable to theft and vandalism, Medeco's® 1050 series provides the most protection possible in a 3/4" T-handle cylinder. With a solid steel bolt and shell, the 1050 is designed to resist even the most severe forms of physical attack. Available in a 4 pin body style with either spring or deadbolt functions.

### 4 PIN SPRING BOLT, T-HANDLE CYLINDER, STEEL SHELL

- = Original  
 W = Biaxial  
 T = Medeco3

**Model Number** \_\_\_\_\_  
 0155 = 5 Pin spring bolt, zinc bolt  
 0155C = 5 Pin deadbolt, zinc bol  
 0750E = 4 Pin spring bolt, zinc b  
 0750G = 4 Pin deadbolt, zinc bolt  
 0950 = 4 Pin spring bolt, steel bolt  
 0952 = 4 Pin deadbolt, steel bolt, z  
 1050 = 4 Pin spring bolt, steel bolt  
 1051 = 4 Pin deadbolt, steel bolt, s

Finish  
 atin Chrome Standard  
**Head Thickness**  
 hick Head Plug

ITEM	DESCRIPTION
1	Notched Key (Sold Separately)
2	Plug Assembly
3	Shell
4	Plug Retainer
5	Bolt Spring
6	Bolt

DIMENSIONS

Model #	Bolt Style	# of Pins	Bolt Construction	Shell Construction	Dimension A (in.)	Dimension B (in.)	Dimension C (in.)
0155	Spring	5	Zinc	Zinc	1.640	1.395	1.315
0155C	Dead						
0750E	Spring	4	Zinc	Zinc	1.525	1.425	1.070
0750G	Dead						
0950	Spring	4	Steel	Zinc	1.525	1.425	1.070
0952	Dead						
1050	Spring	4	Steel	Steel	1.525	1.425	1.070
1051	Dead						