

# SAFETY DATA SHEET

Issuing Date 15-Feb-2013 Revision Date 14-Oct-2016 Revision Number 3

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name Mothers Professional Silicone-Free Dressing

Other means of identification

Product Code(s) 88532, 88538, 88545, 88555

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Automotive Rubber & Trim

Uses advised against No information available

Supplier's details

**Supplier Address** 

MOTHERS POLISHES WAXES CLEANERS 5456 Industrial Drive

Huntington Beach, CA 92649

TEL: 714-891-3364 FAX: 714-893-1827

**Emergency telephone number** 

**Emergency Telephone** 

Number

Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

### GHS Label elements, including precautionary statements

# **Emergency Overview**

Signal Word None

The product contains no substances which at their given concentration are considered to be hazardous to health

Appearance No information available Physical State Liquid.

Odor Perfume

# **Precautionary Statements**

Prevention

None

**General Advice** 

None

#### Storage

None

#### Disposal

None

#### **Hazard Not Otherwise Classified (HNOC)**

Not applicable

#### Other information

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Glycerol	56-81-5	< 25	*
Triethanolamine	102-71-6	< 5	*
Naphthalene	91-20-3	< 0.1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**Description of necessary first-aid measures** 

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin Contact** Wash skin with soap and water.

**Inhalation** Move to fresh air.

**Ingestion** Clean mouth with water and afterwards drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

### **Specific Hazards Arising from the Chemical**

No information available.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Ensure adequate ventilation.

**Environmental Precautions** 

**Environmental Precautions** See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material. Keep in suitable and closed containers for

disposal. Clean contaminated surface thoroughly.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep out of

the reach of children.

Incompatible Products Oxidizing agents.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Naphthalene	STEL: 15 ppm	TWA: 10 ppm	IDLH: 250 ppm
91-20-3	TWA: 10 ppm	TWA: 50 mg/m <sup>3</sup>	TWA: 10 ppm
	S*	(vacated) TWA: 10 ppm	TWA: 50 mg/m <sup>3</sup>
		(vacated) TWA: 50 mg/m <sup>3</sup>	STEL: 15 ppm
		(vacated) STEL: 15 ppm	STEL: 75 mg/m <sup>3</sup>
		(vacated) STEL: 75 mg/m <sup>3</sup>	•

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and Body Protection** Protective gloves.

Respiratory Protection No special protective equipment required. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical StateLiquidAppearanceNo information availableOdorPerfumeOdor ThresholdNo information available

**Property** Values Remarks/ - Method Hq None known Melting Point/Range No data available None known 121 °C **Boiling Point/Boiling Range** None known **Flash Point** No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available lower flammability limit No data available **Vapor Pressure** No data available None known **Vapor Density** No data available None known **Specific Gravity** 1.024 None known **Water Solubility** 100% None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available None known **Autoignition Temperature Decomposition Temperature** No data available None known No data available None known **Viscosity** Flammable Properties Not flammable **Explosive Properties** No data available **Oxidizing Properties** No data available Other information

### 10. STABILITY AND REACTIVITY

No data available

#### Reactivity

No data available.

**VOC Content (%)** 

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Oxidizing agents.

### **Hazardous decomposition products**

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

\_\_\_\_\_

\_\_\_\_\_

**Inhalation** No known effect. Avoid breathing vapors or mists.

**Eye Contact** May cause slight irritation.

**Skin Contact** Prolonged or repeated contact may dry skin and cause irritation.

**Ingestion** No known effect.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Glycerol	= 12600 mg/kg (Rat)	21900 mg/kg (Rat)	-
Triethanolamine	= 4190 mg/kg (Rat)	> 2000 mg/kg (Rabbit) > 16 mL/kg	-
		( Rat )	
Naphthalene	= 490 mg/kg (Rat)	= 1120 mg/kg (Rabbit) > 20 g/kg (	> 340 mg/m³ (Rat) 1 h
		Rabbit )	

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine		Group 3		
Naphthalene		Group 2B	Reasonably Anticipated	Х

#### Legend:

IARC: (International Agency for Research on Cancer)
Group 3: Not Classifiable as to its Carcinogenicity to Humans
Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.

#### Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 164314 mg/kg; Acute toxicity estimate LD50 Dermal 43137 mg/kg; Acute toxicity estimate

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Glycerol 56-81-5	-	LC50: 51-57 ml/L Oncorhynchus mykiss 96 h static	-	EC50 24 h: > 500 mg/L (Daphnia magna)
Triethanolamine 102-71-6	EC50 72 h: = 216 mg/L (Desmodesmus subspicatus) EC50 96 h: = 169 mg/L (Desmodesmus subspicatus)	LC50 96 h: 10600 - 13000 mg/L flow-through (Pimephales promelas) LC50 96 h: > 1000 mg/L static (Pimephales promelas) LC50 96 h: 450 - 1000 mg/L static (Lepomis macrochirus)	EC50 > 10000 mg/L 30 min	EC50 24 h: = 1386 mg/L (Daphnia magna)

Naphthalene	EC50 72 h: = 0.4 mg/L	LC50 96 h: 5.74 - 6.44 mg/L	LC50 48 h: = 2.16 mg/L
91-20-3	(Skeletonema costatum)	flow-through (Pimephales	(Daphnia magna) EC50 48
		promelas) LC50 96 h: = 1.6	h: = 1.96 mg/L Flow through
		mg/L flow-through	(Daphnia magna) EC50 48
		(Oncorhynchus mykiss)	h: 1.09 - 3.4 mg/L Static
		LC50 96 h: 0.91 - 2.82 mg/L	(Daphnia magna)
		static (Oncorhynchus	
		mykiss) LC50 96 h: = 1.99	
		mg/L static (Pimephales	
		promelas) LC50 96 h: =	
		31.0265 mg/L static	
		(Lepomis macrochirus)	

**Persistence and Degradability** 

No information available.

**Bioaccumulation** 

No information available.

Chemical Name	Log Pow
Glycerol	-1.76
Triethanolamine	-2.53
Naphthalene	3.3

Other Adverse Effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

### **Contaminated Packaging**

Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Naphthalene - 91-20-3	U165	Included in waste streams:		U165
		F024, F025, F034, F039,		
		K001, K035, K060, K087,		
		K145		
Component	RCRA - Halogenat		stes RCRA - F Series Wastes	RCRA - K Series Wastes
	Organic Compour	nds		
Naphthalene			Toxic waste	
91-20-3 ( < 0.1 )			waste number F025	
			Waste description:	
			Condensed light ends,	
			spent filters and filter aids	,
			and spent desiccant	
			wastes from the productio	n
			of certain chlorinated	
			aliphatic hydrocarbons, by	<b>/</b>
			free radical catalyzed	
			processes. These	
			chlorinated aliphatic	
			hydrocarbons are those	
			having carbon chain	
			lengths ranging from one	
			to and including five, with	1
			varying amounts and	
			positions of chlorine	
			substitution.	

# **14. TRANSPORT INFORMATION**

DOT

Not regulated

### 15. REGULATORY INFORMATION

# **International Inventories**

TSCA Not determined DSL Not determined

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

No
Fire Hazard

No
Sudden Release of Pressure Hazard

No
Reactive Hazard

No

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene	100 lb	X	X	X

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Naphthalene	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

### **U.S. State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Naphthalene	91-20-3	Carcinogen

#### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Glycerol	X	X	X	=	X
Triethanolamine	Х	X	X		Х

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 15-Feb-2013

Issuing Date15-Feb-2013Revision Date14-Oct-2016Revision NoteUpdate to Revision.

### **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_\_