



Danger

#### Hazard statements:

May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. Suspected of damaging fertility or the unborn child

#### Precautionary statements:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell. Specific treatment (see Section 4 on the SDS). Do NOT induce vomiting. Wash contaminated clothing before reuse. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with soap and water. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or a rash occurs: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/ regional/ national/ regulations.

#### Product contains:

Fatty acids, coco, reaction product with diethylenetriamine and soya fatty acids, ethoxylated, chloro-methane-quaternized; 2-butoxyethanol; Hydrotreated distillate, middle; Acetic acid; Isopropanol; Ceramic; d-Limonene; Amines, n-tallow alkyltrimethylenedi-, ethoxylated; Pine oil

#### First aid measures

**General information:** Immediately remove any clothing soiled by the product.

**After inhalation:** Take affected persons out into the fresh air. Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing.

**After skin contact:** Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. Rinse until skin no longer feels slippery. If skin irritation continues, consult a doctor.

**After eye contact:** In case of eye contact, flush the eyes with water for fifteen (15) minutes. If contact lenses are worn, quickly remove them, then flush the eyes with water. Have a physician examine the eyes.

**After swallowing:** If material is ingested, rinse out mouth with water and seek immediate medical attention. Do not induce vomiting but if vomiting occurs spontaneously, keep the head below the hips to prevent aspiration of liquid into the lungs. If victim is conscious drink large quantities of water to dilute stomach contents. Administering over-the-counter stomach antacids may be indicated.

**If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.**

#### Firefighting measures

**Suitable extinguishing agents:** This product is not inherently flammable. Use media appropriate for surrounding fire.

**Unusual fire or explosion hazards:** The product vapor is heavier than air and may travel a considerable distance. Surrounding fire may vaporize acidic materials.

**Special hazards arising from the substance or mixture** This mixture is likely to exhibit the following combustion products: Oxides of carbon, nitrogen and silicone.

**Fire fighting:** If evacuation of personnel is necessary, evacuate to an upwind area. Decontaminate personnel and equipment with a water wash-down after fire and smoke exposure.

**Protective equipment:** Firemen and emergency responders: wear full turnout gear or Level A equipment, including positive-pressure, self-contained breathing apparatus (SCBA).



**A high performance, durable coating designed to repel water and exhibit anti-soil properties**

#### Directions:

Dilution rates range from 100 to 512 : 1 depending on application with water or consult your representative for specific dilution instructions. Application volumetrics should be between 35 mls to 95 mls per car


#### Storage Instructions:

Wear all appropriate Personal Protective Equipment (PPE). Wear respiratory protection or ensure adequate ventilation at all times as vapors can accumulate in confined or poorly ventilated areas. Use the product in a manner which minimizes splashes and/or the creation of dust. Keep containers closed when not in use. Do not handle or store material near heat, sparks, open flames, or other sources of ignition. Store at room temperatures, i.e., 40 to 95 F (4 to 35 C).

**Requirements to be met by storerooms and receptacles:** Store in cool, dry place. Provide ventilation for receptacles. Store away from foodstuffs. Avoid storage near extreme heat, ignition sources or open flame. Store away from oxidizing agents. Store in cool, dry conditions in well sealed receptacles. Keep container tightly sealed.

Product may become unstable if cooled below 50°F. Keep product warm and above bare concrete floors. If product becomes unstable, add hot water and mix well. Product can be used if thawed properly.

#### National Fire Protection Association (NFPA)



DOT Shipping: Non Regulated



2305 Duss Ave  
Ambridge, PA 15003 USA  
Tel: (412) 471-3330 (412) 471-3260 fax  
www.shorecorporation.com

cw767

7/31/2020