

As the leader in automotive car care, Simoniz® USA delivers this Disinfecting Spray to give you the power of cleaning and disinfecting in one easy step.

**Is a proven soft surface sanitizer against:** Staphylococcus aureus, Enterobacter aerogenes. **For use on soft surfaces such as:** Upholstery, Fabric, Couches, Blankets and Seat Cushions. **Use on washable hard nonporous surfaces of:** Dashboards, Steering Wheels, Windows, Doors, Instrument Panels, Painted Surfaces, Car Center Console Cup Holders, Rear View Mirrors, Side View Mirrors, Carbon Fiber, Fiberglass and Seat Belt Buckles. **Use on other hard nonporous surfaces made of:** Metal, Vinyl and Plastic Upholstery, Laminated Surfaces, Stainless Steel and Glazed Porcelain.

**As a disinfectant, this product is effective against:**

**Bacteria:** Pseudomonas aeruginosa [Pseudomonas], Salmonella enterica [Salmonella], Staphylococcus aureus [Staph], Acinetobacter baumannii [Acinetobacter], Burkholderia cepacia, Campylobacter jejuni [Campylobacter], Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterobacter cloacae NDM-1, Enterococcus faecalis [Enterococcus], Enterococcus faecalis - Vancomycin resistant [VRE], Escherichia coli [E. coli], Escherichia coli, New Delhi Metallo-Beta Lactamase (NDM-1), ESBL Escherichia coli [Extended spectrum beta-lactamase producing E. coli], Klebsiella pneumoniae [Klebsiella], Klebsiella pneumoniae - NDM-1 positive, Legionella pneumophila, Listeria monocytogenes [Listeria], Salmonella schottmuelleri [Salmonella], Salmonella typhi [Salmonella], Serratia marcescens, Shigella dysenteriae [Shigella], Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] [NRS384] [USA300], Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] [NRS123] [USA400], Staphylococcus aureus - Methicillin-Resistant [MRSA], Staphylococcus aureus Multi-Drug Resistant [resistant to tetracycline [Tc], penicillin [Pc], streptomycin [Sm] and erythromycin [Em] and susceptible to chloramphenicol [Cm] in vitro], Staphylococcus aureus - Vancomycin Intermediate Resistant - [VISA], Streptococcus pyogenes [Strep] [a cause of scarlet fever], Vibrio cholerae. **Viruses:** \*Hepatitis B Virus [HBV], \*Hepatitis C Virus [HCV], \*Herpes Simplex Virus Type 1, \*Herpes Simplex Virus Type 2, \*HIV-1 [AIDS Virus], \*Human Coronavirus, \*Influenza Virus Type A / B / Z [Influenza], \*Influenza Virus Type A / Hong Kong [Influenza], \*2013 Influenza A Virus (H7N9), \*Norwalk Virus [Feline Calicivirus] [Norovirus], \*Respiratory Syncytial Virus [RSV], \*Rotavirus, \*SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome], \*Vaccinia [Pox Virus], \*Norwalk Virus [Feline Calicivirus] [Norovirus], \*Rotavirus. **Fungi:** Aspergillus niger, Aspergillus fumigatus, Trichophyton mentagrophytes [the Athlete's Foot Fungus].

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DISINFECTATION / \*VIRUCIDAL / FUNGICIDAL / MOLD & MILDEW CONTROL DIRECTIONS:** Spray 6 - 8 inches from hard, nonporous surface, until surface are thoroughly wet. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. **For Influenza Virus Type A and Human Coronavirus,** treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth, sponge, or mop or allow to air dry. For heavily soiled areas, a pre-cleaning is required. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before

Directions continue on right panel.

ITEM #: S202600Q

Rev. 07/19

## READY TO USE

# INTERIOR CAR SURFACE SANITIZER, DISINFECTANT & DEODORIZER

For use in boats, ships, trailers,  
cars, taxis, and airplanes.



#### ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride .....	0.025%
Dioctyl dimethyl ammonium chloride .....	0.010%
Didecyl dimethyl ammonium chloride .....	0.015%
Alkyl (C <sub>14</sub> , 50%; C <sub>12</sub> , 40%; C <sub>16</sub> , 10%) dimethyl benzyl ammonium chloride .....	0.034%
Other Ingredients .....	99.916%
Total .....	100.000%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for Precautionary Statements  
EPA REG. NO. 6836-152-18305 EPA EST NO. 18305-CT-01  
FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the container or label with you when calling a poison control center or doctor, or going for treatment.

Sold by:



## SIMONIZ

NET CONTENTS 32 FL. OZ. (2 PT.) 946 mL

Continued Directions For Use

reuse. Do not use on utensils, glassware and dishes.

**FOR FUNGICIDAL ACTIVITY:** An effective one-step fungicide against Trichophyton mentagrophytes when used on hard nonporous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Allow surface to remain wet for 10 minutes. **FOR MOLD AND MILDEW:** Repeat treatment every 7 days or more often if new growth appears.

This product is not for use on medical device surfaces.

**\*KILLS HIV-1 AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

**Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled With Blood / Body Fluids.**

**Personal Protection:** Clean-up should always be done wearing protective gloves, gowns, masks and eye protection.

**Cleaning Procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

**Contact Time:** Leave surface wet for 1 minute [60 seconds] for HIV-1 and 10 minutes for HBV and HCV. Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

**Disposal of Infectious Material:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

**TO SANITIZE SOFT SURFACES<sup>†</sup>:** Hold bottle 6" – 8" from surface and spray until fabric is wet. Fabric must remain wet for 5 minutes. Allow fabric to air dry. Heavily soiled areas must be cleaned prior to sanitizing.

<sup>†</sup>Spot treatment of soft surfaces.

**TO CLEAN AND DEODORIZE:** Spray directly on surface to be cleaned. Wipe or allow to air dry.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**Caution.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Triple rinse or equivalent. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

201 Boston Turnpike

Bolton, CT 06043

800-227-5536

www.simoniz.com

