# Safety Data Sheet 91134 Trim Clean<sup>TM</sup>



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

# 1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538 Product Name: Trim Clean™
Product Code: 91134
Product Use: Cleaner

24-hour emergency phone: 1-800-424-9300 [CHEMTREC]

# 2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

**GHS Hazard Symbols** 





GHS Classification Gases under pressure - Liquified Gas

Serious Eye Damage/Eye Irritation Category 1

Signal Word Danger

Hazard Statements Contains gas under pressure; may explode if heated.

Causes serious eye damage.

**Precautionary Statements** 

**Prevention** Wear protective gloves/protective clothing/eye protection/face protection.

**Response** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a poison center, doctor or medical center.

Storage Protect from sunlight. Store in a well-ventilated place.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	<u>CAS #</u>	Percent
Hydrocarbon propellant	68476-86-8	1 - 20
Anionic surfactant	577-11-7	1 - 20
Glycol ether	111-76-2	0.5 - 1.5
Organic acid	Mixture	0.1- 0.99
Salts	7632-00-0	0.1- 0.99

HMIS® III\* HAZARDOUS WARNINGS:

Health: 2 Flammability: 2 Physical: 0 Personal See Section 8

PAGE 1

Protective

Equipment:

# 4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Wash clothing before reuse. For liquid contact, treat for frostbite if necessary.

Ingestion: Ingestion is an unlikely route of exposure. Contact a physician, medical facility, or poison control center for advice on whether to

induce vomiting.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the victim warm and

<sup>\*</sup> See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

quiet. Seek immediate medical attention.

#### NOTES TO PHYSICIAN:

Simple asphixyant/Frost bite. No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: lung (for example, asthma-like conditions); liver; kidney;

# 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that

are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights,

or other flames and ignition sources at locations distant from the material's handling point.

Fire Fighting Instructions: Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may

be used from a safe distance to cool closed containers and protect surrounding area.

# 6. ACCIDENTAL RELEASE MEASURES

#### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. Place waste material into container and close it tightly. Dispose of container properly.

#### 7. HANDLING AND STORAGE

Handling: This material can be harmful or irritating. Use with adequate ventilation. Normal precautions common to safe manufacturing practice

should be followed in handling and storage. Avoid prolonged or repeated breathing of vapor. Avoid prolonged or repeated contact with skin. Wash hands thoroughly after handling. If ventilation is not sufficient, wear proper respiratory equipment. Do not use near ignition

sources

Storage:

Do not store at temperatures above 122 degrees F. Store away from incompatible materials such as materials that support combustion

(oxidizing materials) and corrosive materials (strong acids or bases). Keep from freezing. Store at temperatures between 45° and 99° F. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Store in a cool, dry, well

ventilated area away from all sources of ignition.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation is required to maintain operator exposure below published exposure limits. Ventilation should be adequate to

prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse

effects). Local exhaust should be used in areas where exposure limits may be exceeded.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

skin

Respiratory Protection: Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.

COMPONENT Hydrocarbon propellant	<u>CAS #</u> 68476-86-8	ACGIH TLV 1000ppm	OSHA PEL Not established	OTHER Not established
Anionic surfactant	577-11-7	Not established	Not established	10 mg/m3 TWA (WEEL)
Glycol ether	111-76-2	20 ppm [skin]	Not established	Not established
Organic acid	Mixture	Not established	Not established	Not established
Salts	7632-00-0	Not established	Not established	Not established

# 9. PHYSICAL AND CHEMICAL PROPERTIES

 Physical State:
 Aerosol can
 Lower Flammability Limit (%):
 Not applicable

 Appearance:
 Clear Colorless
 Upper Flammability Limit (%):
 Not applicable

 Odor:
 None to very faint
 Vapor Pressure (PSIG @ 70°F):
 No data available

 Odor Threshold:
 None
 Vapor Density [air = 1]:
 >1

 pH:
 10 - 11.5
 Relative Density (H2O=1):
 0.99

Melting/Freezing Point (°F): No data available Solubility in Water: Complete; 100% Boiling Point (°F): No data available Partial Coefficient: n- No data available

octanol/water:

Flash Point (°F PMCC): Not applicable
Evaporation Rate: 0.02-0.1 (n-Butyl acetate = 1)
Flammability (solid, gas): No data available

No data available
Viscosity, dynamic (cSt): No data available
Viscosity, dynamic (cSt): No data available

Percent VOCs (%): 1-20

# 10. STABILITY AND REACTION

Chemical Stability: Stable

Conditions to Avoid: Avoid contact with: Strong oxidizing agents. Ignition sources such as open flames, sparks, static discharges or glowing

metal surfaces. Strong alkalies.

Decomposition Products: Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Oxides of sulfur.

Stoner Incorporated 91134 PAGE 2

# 11. TOXICOLOGICAL INFORMATION

Reproductive & No data available.

Developmental Toxicity:

IARC Carcinogen Designation: No data available

Ingredient CAS # Toxicological Data

Glycol ether 111-76-2 Dermal LD50 Rabbit 220 mg/kg
Oral LD50 GUINEA PIG 1200 mg/kg

Oral LD50 Rat 250 mg/kg

Inhalation LC50 Rat 2900 MG/M3 Inhalation LC50 Mouse 700 ppm Inhalation LC50 Mouse 3380 MG/M3

# 12. ECOLOGICAL INFORMATION

Ecological Toxicity: No data available Mobility: No data available

Degradability: Readily biodegradable. Information given is based on data obtained from similar products.

Ingredient CAS # Toxicological Data

Glycol ether 111-76-2 Aquatic LC50 (96h) MINNOW = 72860 mg/L

Aquatic LC50 (48h) Daphnia > 100 mg/L Aquatic LC50 (96h) Algae 6500 - 13000 mg/L

# 13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

#### 14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1950	Aerosols, Non-Flammable†	2.2	Not applicable
IATA	ID8000	Consumer Commodity†	9	Not applicable
IMDG	UN1950	Aerosols, Non- Flammable†	2.2	Not applicable

† "Limited Quantities" may be applicable for this transportation mode.

# 15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT CAS # % BY WEIGHT Regulatory Body

No components listed in this section.

SARA Section 313

#### **Toxic Substances Control Act**

All components of this product are listed on the TSCA inventory.

# California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

# 16. OTHER INFORMATION

Other Information: SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 08/08/19

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.

Stoner Incorporated 91134 PAGE 3