

SAFETY DATA SHEET



TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version 2.0 Revision Date: 12/13/2020 SDS Number: 600000002109 Date of last issue: -
Date of first issue: 01/02/2015

SECTION 1. IDENTIFICATION

Product name : TM WHISTLE CLEAN WHL CLNR 55 GA
Product code : TM047-55 TM047-55

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC
Address : Dallas TX 75225
Email Address : EHS@niteoproducts.com
Telephone : 1-844-696-4836
Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : WHEEL CLEANER
Restrictions on use : Use only outdoors or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Corrosive to metals : Category 1
Skin corrosion : Category 1A
Serious eye damage : Category 1
Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Respiratory Tract)

GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : May be corrosive to metals.
Causes severe skin burns and eye damage.

SAFETY DATA SHEET



TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version 2.0 Revision Date: 12/13/2020 SDS Number: 600000002109 Date of last issue: -
Date of first issue: 01/02/2015

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

Precautionary statements :

Prevention:

Keep only in original container.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Get medical advice/ attention if you feel unwell.
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.

Storage:

Store locked up.
Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium hydroxide	1310-73-2	>= 5 - < 10
2-Butoxyethanol	111-76-2	>= 5 - < 10
Tetrasodium EDTA	64-02-8	>= 1 - < 5
Polyphosphoric acids, esters with polyethylene glycol decyl ether	68458-48-0	>= 1 - < 3
Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides	61791-10-4	>= 1 - < 3
D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	>= 1 - < 3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SAFETY DATA SHEET



TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version 2.0 Revision Date: 12/13/2020 SDS Number: 600000002109 Date of last issue: -
Date of first issue: 01/02/2015

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
If skin irritation persists, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
- If swallowed : Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
May cause damage to organs through prolonged or repeated exposure if inhaled.
Causes severe burns.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Sodium oxides
Carbon oxides
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local cir-
-

TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/13/2020	600000002109	Date of first issue: 01/02/2015

cumstances and the surrounding environment.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus for firefighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Do not smoke.
Avoid contact with skin and eyes.
Dispose of rinse water in accordance with local and national regulations.
Container hazardous when empty.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

SAFETY DATA SHEET



TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version 2.0 Revision Date: 12/13/2020 SDS Number: 600000002109 Date of last issue: -
 Date of first issue: 01/02/2015

		(Form of exposure)	ters / Permissible concentration	
Sodium hydroxide	1310-73-2	C	2 mg/m3	ACGIH
		C	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		C	2 mg/m3	OSHA P0
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0

Hazardous components without workplace control parameters

Components	CAS-No.
Tetrasodium EDTA	64-02-8
Polyphosphoric acids, esters with polyethylene glycol decyl ether	68458-48-0
Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides	61791-10-4
D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-Butoxyethanol	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or

SAFETY DATA SHEET



TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version 2.0 Revision Date: 12/13/2020 SDS Number: 600000002109 Date of last issue: -
Date of first issue: 01/02/2015

- mist.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear as appropriate:
Impervious clothing
Safety shoes
Remove and wash contaminated clothing before re-use.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
When using do not smoke.
When using do not eat or drink.
-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : amber
- Odour : mild
- Odour Threshold : not determined
- pH : 13 - 14
- Melting point/freezing point : 0 °C
- Boiling point/boiling range : 100 °C
- Flash point : > 100 °C
- Evaporation rate : not determined
- Flammability (solid, gas) : No data available
- Self-ignition : not determined
- Upper explosion limit / Upper flammability limit : not determined
- Lower explosion limit / Lower flammability limit : not determined
- Vapour pressure : not determined
- Relative vapour density : not determined
- Density : 1.0550 g/cm³
- Solubility(ies)
Water solubility : soluble
- Partition coefficient: n- : not determined

SAFETY DATA SHEET



TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version 2.0 Revision Date: 12/13/2020 SDS Number: 600000002109 Date of last issue: -
Date of first issue: 01/02/2015

octanol/water

Decomposition temperature : not determined

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Hazardous polymerisation does not occur.

Conditions to avoid : No data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Nitrogen oxides (NOx)
Carbon oxides

Hazardous decomposition products : Sodium oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Eye contact
Skin contact
Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Remarks: Causes digestive tract burns.

Acute inhalation toxicity : Acute toxicity estimate: 17.89 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

**TRANSMATE™ WHISTLE CLEAN WHEEL
CLEANER**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/13/2020	600000002109	Date of first issue: 01/02/2015

Method: Calculation method

Components:**Sodium hydroxide:**

Acute oral toxicity : LDLo (Rabbit): 500 mg/kg

2-Butoxyethanol:

Acute oral toxicity : LD50 (Guinea pig): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Guinea pig): > 633 ppm
Exposure time: 1 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation.Acute dermal toxicity : LD50 (Guinea pig): > 2,000 mg/kg
Assessment: The component/mixture is moderately toxic after single contact with skin.**Tetrasodium EDTA:**

Acute oral toxicity : LD50 (Rat, female): 1,780 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 - 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

D-Glucopyranose, oligomeric, decyl octyl glycosides:Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute oral toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: Causes severe skin burns and eye damage.

Components:**Sodium hydroxide:**

Result: Corrosive after 3 minutes or less of exposure

2-Butoxyethanol:

**TRANSMATE™ WHISTLE CLEAN WHEEL
CLEANER**

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/13/2020	600000002109	Date of first issue: 01/02/2015

Method: Directive 67/548/EEC, Annex V, B.4.

Result: Irritating to skin.

Tetrasodium EDTA:

Species: Rabbit

Result: No skin irritation

Polyphosphoric acids, esters with polyethylene glycol decyl ether:

Result: Corrosive after 1 to 4 hours of exposure

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:**Sodium hydroxide:**

Result: Corrosive

2-Butoxyethanol:

Result: Irritating to eyes.

Method: OECD Test Guideline 405

Tetrasodium EDTA:

Result: Irritating to eyes.

Polyphosphoric acids, esters with polyethylene glycol decyl ether:

Result: Corrosive

Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides:

Result: Corrosive

D-Glucopyranose, oligomeric, decyl octyl glycosides:

Result: Irreversible effects on the eye

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	12/13/2020	600000002109	Date of first issue: 01/02/2015

Respiratory sensitisation

Not classified based on available information.

Components:**Sodium hydroxide:**

Exposure routes: Skin contact
Species: Humans
Result: negative

2-Butoxyethanol:

Species: Guinea pig
Method: OECD Test Guideline 406
Result: Not a skin sensitizer.

Tetrasodium EDTA:

Test Type: Maximisation Test
Species: Guinea pig
Assessment: Does not cause skin sensitisation.
Method: OECD Test Guideline 406
Remarks: Information given is based on data obtained from similar substances.

Germ cell mutagenicity

Not classified based on available information.

Components:**2-Butoxyethanol:**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Tetrasodium EDTA:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET



TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version: 2.0 Revision Date: 12/13/2020 SDS Number: 600000002109 Date of last issue: -
Date of first issue: 01/02/2015

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

Components:

Tetrasodium EDTA:

Exposure routes: Inhalation

Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

SAFETY DATA SHEET



TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version 2.0 Revision Date: 12/13/2020 SDS Number: 600000002109 Date of last issue: -
Date of first issue: 01/02/2015

IATA-DGR

UN/ID No. : UN 1760
Proper shipping name : Corrosive liquid, n.o.s.
(Sodium Hydroxide, TETRASODIUM EDTA)
Class : 8
Packing group : II
Labels : 8
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : UN 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S.
(Sodium Hydroxide, TETRASODIUM EDTA)
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 1760
Proper shipping name : Corrosive liquids, n.o.s.
(Sodium Hydroxide, TETRASODIUM EDTA)
Class : 8
Packing group : II
Labels : 8
ERG Code : 154
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Corrosive to metals
Skin corrosion or irritation

SAFETY DATA SHEET



TRANSMATE™ WHISTLE CLEAN WHEEL CLEANER

Version 2.0 Revision Date: 12/13/2020 SDS Number: 600000002109 Date of last issue: -
Date of first issue: 01/02/2015

Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 313

: The following components are subject to reporting levels established by SARA Title III, Section 313:

2-Butoxyethanol 111-76-2 >= 5 - < 10 %


California Prop. 65

WARNING: This product can expose you to chemicals including Ethylene Oxide, 1,4-Dioxane, which is/are known to the State of California to cause cancer, and Methyl chloride, Ethylene Oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

Revision Date : 12/13/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN