

# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

---

### SECTION 1. IDENTIFICATION

Product name : TM BLUE MAX AUTO DET 55 GA  
Product code : TM002-55 TM002-55

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC  
Address : Dallas TX 75225  
Email Address : EHS@niteoproducts.com  
Telephone : 1-844-696-4836  
Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

#### Recommended use of the chemical and restrictions on use

Recommended use : CAR WASH


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

#### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : Causes serious eye irritation.

Precautionary statements : **Prevention:**  
Wash skin thoroughly after handling.  
Wear eye protection/ face protection.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/ attention.

# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Ammonium hydroxide	1336-21-6	>= 1 - < 5
Polyethylene glycol	25322-68-3	>= 1 - < 5
Isopropanol	67-63-0	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
- Notes to physician : Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

- Unsuitable extinguishing media : High volume water jet

# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

---

- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.
-

# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ammonium hydroxide	1336-21-6	TWA	25 ppm (Ammonia)	ACGIH
		STEL	35 ppm (Ammonia)	ACGIH
		TWA	25 ppm 18 mg/m <sup>3</sup> (Ammonia)	NIOSH REL
		ST	35 ppm 27 mg/m <sup>3</sup> (Ammonia)	NIOSH REL
Polyethylene glycol	25322-68-3	TWA (aerosol)	10 mg/m <sup>3</sup>	US WEEL
Isopropanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m <sup>3</sup>	NIOSH REL
		ST	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA P0
		STEL	500 ppm 1,225 mg/m <sup>3</sup>	OSHA P0

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Isopropanol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

#### Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing

# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

---

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : blue

Odour : mild

Odour Threshold : not determined

pH : 9 - 10

Melting point/freezing point : 0 °C

Boiling point/boiling range : 100 °C

Flash point : > 100 °C  
Method: closed cup

Evaporation rate : not determined

Flammability (solid, gas) : No data available

Self-ignition : not determined

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

Vapour pressure : not determined

Relative vapour density : not determined

Density : 1.0131 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : not determined

Decomposition temperature : not determined

Viscosity  
Viscosity, dynamic : not determined

# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

---

Viscosity, kinematic                   : not determined  
Molecular weight                       : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity                               : No decomposition if stored and applied as directed.  
Chemical stability                     : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Conditions to avoid                   : No data available  
Incompatible materials               : Strong oxidizing agents  
  : Not applicable  
Hazardous decomposition products : Carbon oxides

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Eye contact  
Skin contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity                     : Acute toxicity estimate: > 5,000 mg/kg  
  : Method: Calculation method

#### Components:

##### Ammonium hydroxide:

Acute oral toxicity                     : LD50 (Rat): 350 mg/kg

##### Polyethylene glycol:

Acute oral toxicity                     : LD50 (Rat): > 20 g/kg

Acute dermal toxicity                 : LD50 (Rabbit): > 20 g/kg

##### Isopropanol:

Acute oral toxicity                     : LD50 (Rat): 5.84 g/kg

Acute inhalation toxicity             : LC50 (Rat): 16000 ppm

# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

---

Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 12,800 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

#### **Product:**

Remarks: May cause skin irritation in susceptible persons.

#### **Components:**

##### **Ammonium hydroxide:**

Result: Corrosive

##### **Polyethylene glycol:**

Assessment: No skin irritation

Result: No skin irritation

##### **Isopropanol:**

Result: Possibly irritating to skin

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Product:**

Remarks: May cause irreversible eye damage.

#### **Components:**

##### **Ammonium hydroxide:**

Result: Irreversible effects on the eye

##### **Polyethylene glycol:**

Result: No eye irritation

Assessment: No eye irritation

##### **Isopropanol:**

Result: Irritating to eyes.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

---

### **Germ cell mutagenicity**

Not classified based on available information.

### **Carcinogenicity**

Not classified based on available information.

#### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **Ammonium hydroxide:**

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

#### **Isopropanol:**

Assessment: May cause drowsiness or dizziness.

### **STOT - repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### **Product:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Toxicity**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.



# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

Not regulated as a dangerous good

##### 49 CFR

Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ammonium hydroxide	1336-21-6	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

##### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

# SAFETY DATA SHEET



## TRANSMATE™ BLUE MAX AUTO DETERGENT

Version 3.0      Revision Date: 04/27/2021      SDS Number: 600000002235      Date of last issue: 12/13/2020  
Date of first issue: 01/02/2015

**SARA 311/312 Hazards** : Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Ammonium hydroxide      1336-21-6       $\geq 1 - < 5 \%$

Isopropanol      67-63-0       $\geq 1 - < 5 \%$


### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



Revision Date : 04/27/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN