

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

SECTION 1. IDENTIFICATION

Product name : AC GLADE MEMB HWBRZ 24/4 1PK
Product code : 805024 805024

Manufacturer or supplier's details

Company name of supplier : Air Care Holdings, LLC
Address : Dallas TX 75225
Email Address : EHS@niteoproducts.com
Telephone : 1-800-678-1910
Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : AIR FRESHENER

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4
Skin irritation : Category 2
Eye irritation : Category 2A
Skin sensitisation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning
Hazard statements : Combustible liquid.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.

Precautionary statements : **Prevention:**
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/ eye protection/ face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/ attention.
If eye irritation persists: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
4-t-Butylcyclohexyl acetate	32210-23-4	>= 10 - < 20
Linalyl acetate	115-95-7	>= 5 - < 10
3,5,5-trimethylhexyl acetate	58430-94-7	>= 5 - < 10
4-(1-methoxy-1-methylethyl)-1-methylcyclohexene	14576-08-0	>= 5 - < 10
Benzyl acetate	140-11-4	>= 1 - < 5
Gamma-Undecalactone	104-67-6	>= 1 - < 5
3a,4,5,6,7,7a-hexahydro-4,7-methanoinden-6-yl acetate	5413-60-5	>= 1 - < 5
Terpineol / Alpha- IFF	8000-41-7	>= 1 - < 5
Ethyl Butyrate	105-54-4	>= 1 - < 5
2,4-Dimethyl-3-cyclohexenecarboxaldehyde	68039-49-6	>= 1 - < 5
Isoamyl acetate	123-92-2	>= 1 - < 5
Allyl Caproate	123-68-2	>= 1 - < 5
4,7-Methano-1H-inden-6-ol, 3a,4,5,6,7,7a-hexahydro-, 6-propanoate	17511-60-3	>= 1 - < 5
Ethyl hexanoate	123-66-0	>= 1 - < 5
Dimethylcyclohex-3-ene-1-carbaldehyde	68737-61-1	>= 1 - < 5
Benzyl Alcohol	100-51-6	>= 1 - < 5
Cyclamen aldehyde	103-95-7	>= 0.1 - < 1

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.
Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
If skin irritation persists, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
-

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version	Revision Date:	SDS Number:	Date of last issue: 10/04/2019
1.1	11/04/2021	600000001363	Date of first issue: 10/04/2019

- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Remove all sources of ignition.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.
Keep away from open flames, hot surfaces and sources of ignition.
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapours/dust.
Do not smoke.
Avoid contact with skin and eyes.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Dispose of rinse water in accordance with local and national regulations.
Container hazardous when empty.
Smoking, eating and drinking should be prohibited in the ap-
-

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

application area.
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
No smoking.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Benzyl acetate	140-11-4	TWA	10 ppm	ACGIH
Isoamyl acetate	123-92-2	TWA	100 ppm 525 mg/m ³	NIOSH REL
		TWA	100 ppm 525 mg/m ³	OSHA Z-1
		TWA	100 ppm 525 mg/m ³	OSHA P0
		TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
Benzyl Alcohol	100-51-6	TWA	10 ppm	US WEEL

Hazardous components without workplace control parameters

Components	CAS-No.
4-t-Butylcyclohexyl acetate	32210-23-4
Linalyl acetate	115-95-7
3,5,5-trimethylhexyl acetate	58430-94-7
4-(1-methoxy-1-methylethyl)-1-methylcyclohexene	14576-08-0
Gamma-Undecalactone	104-67-6
3a,4,5,6,7,7a-hexahydro-4,7-methanoinden-6-yl acetate	5413-60-5
Terpineol / Alpha- IFF	8000-41-7
Ethyl Butyrate	105-54-4
2,4-Dimethyl-3-cyclohexenecarboxaldehyde	68039-49-6
Allyl Caproate	123-68-2
4,7-Methano-1H-inden-6-ol, 3a,4,5,6,7,7a-hexahydro-, 6-propanoate	17511-60-3
Ethyl hexanoate	123-66-0
Dimethylcyclohex-3-ene-1-carbaldehyde	68737-61-1
Cyclamen aldehyde	103-95-7

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear as appropriate:
Impervious clothing
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
When using do not smoke.
When using do not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : brown

Odour : pleasant

Odour Threshold : not determined

pH : not determined

: not determined

Boiling point/boiling range : > 40 °C

Flash point : 72 °C
Method: closed cup

Evaporation rate : not determined

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : not determined

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

Lower explosion limit / Lower flammability limit : not determined

Vapour pressure : not determined
0.6 mmHg (20 °C)

Relative vapour density : not determined

Density : 0.944 g/cm³ (20 °C)

Solubility(ies)
Water solubility : not determined

Partition coefficient: n-octanol/water : not determined

Decomposition temperature : not determined

Viscosity
Viscosity, dynamic : not determined
Viscosity, kinematic : not determined

Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Eye contact
Skin contact
Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: 3,112 mg/kg

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 60 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

4-t-Butylcyclohexyl acetate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Linalyl acetate:

Acute oral toxicity : LD50 (Rat): > 9,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

3,5,5-trimethylhexyl acetate:

Acute oral toxicity : LD50 (Rat): 4,250 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

4-(1-methoxy-1-methylethyl)-1-methylcyclohexene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Benzyl acetate:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LCLo (Rat, male and female): > 0.766 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Gamma-Undecalactone:

Acute oral toxicity : LD50 (Rat): 18,500 mg/kg

3a,4,5,6,7,7a-hexahydro-4,7-methanoinden-6-yl acetate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 423

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Terpineol / Alpha- IFF:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 4.76 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Ethyl Butyrate:

Acute oral toxicity : LD50 (Rabbit): 5,200 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

2,4-Dimethyl-3-cyclohexenecarboxaldehyde:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Isoamyl acetate:

Acute oral toxicity : LD50 (Rabbit): 7,400 mg/kg

Allyl Caproate:

Acute oral toxicity : LD50 (Rat): 218 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 300 mg/kg

Ethyl hexanoate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Dimethylcyclohex-3-ene-1-carbaldehyde:

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

Acute oral toxicity : Assessment: The component/mixture is minimally toxic after single ingestion.

Acute dermal toxicity : Assessment: The component/mixture is minimally toxic after single contact with skin.

Benzyl Alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Cyclamen aldehyde:

Acute oral toxicity : LD50 (Rat): 3,810 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:

Linalyl acetate:

Method: OECD Test Guideline 404
Result: Irritating to skin.

3,5,5-trimethylhexyl acetate:

Result: Irritating to skin.

4-(1-methoxy-1-methylethyl)-1-methylcyclohexene:

Method: OECD Test Guideline 439
Result: Irritating to skin.

Benzyl acetate:

Species: Rabbit
Method: Directive 67/548/EEC, Annex V, B.4.
Result: Possibly irritating to skin
GLP: yes

Gamma-Undecalactone:

Species: Rabbit
Result: Severe skin irritation

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version	Revision Date:	SDS Number:	Date of last issue: 10/04/2019
1.1	11/04/2021	600000001363	Date of first issue: 10/04/2019

3a,4,5,6,7a-hexahydro-4,7-methanoinden-6-yl acetate:

Method: OECD Test Guideline 404
Result: No skin irritation

Terpineol / Alpha- IFF:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: Irritating to skin.
GLP: yes

Ethyl Butyrate:

Species: Rabbit
Result: Irritating to skin.

2,4-Dimethyl-3-cyclohexenecarboxaldehyde:

Species: Rabbit
Result: Irritating to skin.

Isoamyl acetate:

Assessment: Irritating to skin.
Result: Irritating to skin.

Allyl Caproate:

Assessment: Irritating to skin.
Result: Irritating to skin.

Ethyl hexanoate:

Method: OECD Test Guideline 439
Result: Irritating to skin.

Dimethylcyclohex-3-ene-1-carbaldehyde:

Result: Irritating to skin.

Benzyl Alcohol:

Method: OECD Test Guideline 404
Result: Possibly irritating to skin

Cyclamen aldehyde:

Result: Possibly irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version	Revision Date:	SDS Number:	Date of last issue: 10/04/2019
1.1	11/04/2021	600000001363	Date of first issue: 10/04/2019

Components:

Linalyl acetate:

Result: Irritating to eyes.

3,5,5-trimethylhexyl acetate:

Result: Possibly irritating to eyes

4-(1-methoxy-1-methylethyl)-1-methylcyclohexene:

Result: Possibly irritating to eyes

Benzyl acetate:

Species: Rabbit

Result: Possibly irritating to eyes

Method: Directive 67/548/EEC, Annex V, B.5.

GLP: yes

Gamma-Undecalactone:

Result: Irritating to eyes.

3a,4,5,6,7,7a-hexahydro-4,7-methanoinden-6-yl acetate:

Result: Irritating to eyes.

Method: OECD Test Guideline 405

Terpineol / Alpha- IFF:

Species: Rabbit

Result: Irritating to eyes.

Exposure time: 24 h

Method: OECD Test Guideline 405

GLP: yes

Ethyl Butyrate:

Result: Irritating to eyes.

2,4-Dimethyl-3-cyclohexenecarboxaldehyde:

Species: Rabbit

Result: Irritating to eyes.

Isoamyl acetate:

Result: Irritating to eyes.

Assessment: Irritating to eyes.

Allyl Caproate:

Result: Irritating to eyes.

Assessment: Irritating to eyes.

4,7-Methano-1H-inden-6-ol, 3a,4,5,6,7,7a-hexahydro-, 6-propanoate:

Result: Irritating to eyes.

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version	Revision Date:	SDS Number:	Date of last issue: 10/04/2019
1.1	11/04/2021	600000001363	Date of first issue: 10/04/2019

Ethyl hexanoate:

Result: No eye irritation
Method: OECD Test Guideline 405

Dimethylcyclohex-3-ene-1-carbaldehyde:

Result: Irritating to eyes.

Benzyl Alcohol:

Result: Irritating to eyes.

Cyclamen aldehyde:

Result: Possibly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: May cause allergic skin reaction.

Components:

4-t-Butylcyclohexyl acetate:

Result: May cause sensitisation by skin contact.

Linalyl acetate:

Result: The product is a skin sensitizer, sub-category 1B.

3,5,5-trimethylhexyl acetate:

Result: Did not cause sensitisation on laboratory animals.

4-(1-methoxy-1-methylethyl)-1-methylcyclohexene:

Method: OECD Test Guideline 406

Result: Not a skin sensitizer.

Benzyl acetate:

Test Type: Maximisation Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

3a,4,5,6,7,7a-hexahydro-4,7-methanoinden-6-yl acetate:

Test Type: Maximisation Test

Result: Not a skin sensitizer.

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

Ethyl Butyrate:

Species: Humans

Assessment: Does not cause skin sensitisation.

Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

2,4-Dimethyl-3-cyclohexenecarboxaldehyde:

Assessment: May cause sensitisation by skin contact.

Ethyl hexanoate:

Method: OECD Test Guideline 442D

Result: Not a skin sensitizer.

Dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: The product is a skin sensitizer, sub-category 1B.

Benzyl Alcohol:

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

Cyclamen aldehyde:

Result: May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzyl acetate:

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Species: Mouse (male)
 Application Route: Intraperitoneal injection
 Result: negative

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version Revision Date: SDS Number: Date of last issue: 10/04/2019
1.1 11/04/2021 600000001363 Date of first issue: 10/04/2019

Components:

Ethyl Butyrate:

Exposure routes: Inhalation
Target Organs: Respiratory Tract
Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

SAFETY DATA SHEET

Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Isoamyl acetate	123-92-2	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Skin corrosion or irritation
Serious eye damage or eye irritation
Respiratory or skin sensitisation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

2-phenoxyethyl isobutyrate 103-60-6 >= 5 - < 10 %

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

SAFETY DATA SHEET


Glade® MEMBRANE HAWAIIAN BREEZE

Version 1.1 Revision Date: 11/04/2021 SDS Number: 600000001363 Date of last issue: 10/04/2019
Date of first issue: 10/04/2019

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Revision Date : 11/04/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN